

Code: CZ-DALLAS

THE IBUTTON READER **CZ-DALLAS** SATEL

Net: **11.89 EUR** Gross: **11.89 EUR**

The DALLAS iButtons reader makes it possible to implement the access control function by means of control panels.



SPECIFICATION

Supported standards:	Dallas iButton
Support:	INT-R, ACCO-KPWG-PS, ACCO-KPWG
Main features:	<ul style="list-style-type: none">• The two-color LED for communication between the alarm control panel / access control module and the user• Installed directly on wall/door frame• Easy installation inside drilled hole with diameter of 20mm
Current consumption:	25 mA (max)
Operation temp:	-25 °C ... 55 °C
Permissible relative humidity:	0 ... 93 %
Weight:	0.025 kg
Dimensions:	Ø 28 x 30 mm
Manufacturer / Brand:	SATEL
Guarantee:	2 years

PRESENTATION


Front view:




DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60



Side view:



Connectors description:



1. Data
2. red LED anode
3. ground
4. green LED anode
5. LED cathode

PACKAGE

Dimensions (L x W x H): 0x0x0 mm	Gross Weight: 0 kg
----------------------------------	--------------------

