

Code: ASF280F

BRACKET FOR GLASS DOOR **ASF280F** DAHUA

Net: **72.55 EUR** Gross: **72.55 EUR**

The set of brackets for glass door and glass door frame for the ASF280A electromagnetic lock with lifting capacity of 280 kg.




SPECIFICATION

Material:	Aluminum
Application:	ASF280A
Max. glass thickness:	12.5 mm (including the pads included)
Min. clearance between the glass and the frame:	6 mm
Weight:	0.76 kg
Dimensions:	250 x 85 x 70 mm - A bracket mounted on a glass door 250 x 52 x 49.5 mm - A bracket mounted to the glass door frame
Manufacturer / Brand:	DAHUA
Guarantee:	3 years

PRESENTATION


A bracket mounted on a glass door:




A bracket mounted to the glass door frame:



DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60




Schematic diagram:



1. Glass door
2. Glass door frame
3. Steel pad
4. Rubber pad

Should pay attention to rubber pads mounted between the door and the movable element of the lock. These pads ensure proper fit the lock elements with the door when it is closed.

In the kit:



1. Rubber pad



DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
 POL; 60-713 Poznań; Graniczna 10
 e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60

2. Steel pad

PACKAGE

Dimensions (L x W x H): 0x0x0 mm	Gross Weight: 0 kg
----------------------------------	--------------------

