


Code: ZE-60

## ELECTROMAGNETIC LOCK **ZE-60**

Net: **23.03 EUR** Gross: **23.03 EUR**

Electromagnetic lock, surface, single. The lock is intended for blocking small wooden, glass or metal doors. Force an entry closed by lock requires the use of force of > 60 kg. It operates reversibly - it is open when power is off. The lock is composed of two elements: electromagnet (usually mounted in the frame) and lock plate (usually mounted in the door). Error free operation of the lock is a result of lack the mechanical elements, which after some time become damaged.

Device is designed for indoor use only.



### SPECIFICATION

|                      |                                                                                                                                  |
|----------------------|----------------------------------------------------------------------------------------------------------------------------------|
| Load capacity:       | 60 kg                                                                                                                            |
| Rated voltage:       | 12 V DC                                                                                                                          |
| Current consumption: | 100 mA                                                                                                                           |
| Main features:       | Mounting bracket included - L type                                                                                               |
| Weight:              | 0.49 kg (total)                                                                                                                  |
| Dimensions:          | <ul style="list-style-type: none"><li>• 80 x 39 x 24 mm (electromagnetic lock)</li><li>• 75 x 33 x 11 mm (metal plate)</li></ul> |
| Guarantee:           | 2 years                                                                                                                          |


### PRESENTATION




DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>  
POL; 60-713 Poznań; Graniczna 10  
e-mail: [delta-opti@delta.poznan.pl](mailto:delta-opti@delta.poznan.pl); tel: +(48) 61 864 69 60




Dimensions:





Typical operation diagram:



- 1. Door
- 2. Door-frame

Should pay attention to rubber pads mounted between the door and the movable element of the lock. These pads ensure proper fit the lock elements with the door when it is closed.

In the kit:



## PACKAGE

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>  
 POL; 60-713 Poznań; Graniczna 10  
 e-mail: [delta-opti@delta.poznan.pl](mailto:delta-opti@delta.poznan.pl); tel: +(48) 61 864 69 60

|                                  |                    |
|----------------------------------|--------------------|
| Dimensions (L x W x H): 0x0x0 mm | Gross Weight: 0 kg |
|----------------------------------|--------------------|

