

Code: PFS3106-4T

# INDUSTRIAL SWITCH **PFS3106-4T** 4-PORT + SFP DAHUA

Net: 277.00 PLN Gross: 277.00 PLN



The PFS3106-4T Switch is an industrial type device enabling fluent network transmission at rates 10 / 100 / 1000 Mbps. Devices of this type can be used in installations realized in industrial facilities in harsh environmental conditions like high or low temperature.

Attention! The SFP port requires the SFP module, which is available in our offer.

## SPECIFICATION

LAN ports:	<ul style="list-style-type: none"><li>• 1 x port SFP 100/1000 Base-X</li><li>• 1 x RJ45 10/100/1000 Base-T</li><li>• 4 x RJ45 10/100 Base-T</li></ul>
Management:	—
Transmission method:	Store and Forward
Main features:	<ul style="list-style-type: none"><li>• 100M/1000M self-adaptive SFP fiber port</li><li>• protection against lightning discharges and voltage differences and strokes between devices</li><li>• Industrial wide temperature design.</li></ul>
LED diodes:	Power, Link/Act
Transmission speed:	<ul style="list-style-type: none"><li>• 10 / 100 Mbps - 4 LAN ports</li><li>• 10 / 100 / 1000 Mbps - 1 Port Uplink</li><li>• 100 / 1000 Mbps - 1 port SFP</li></ul>
MAC addresses table:	8k
Certificates:	CE
Power supply:	12 V DC / 1 A (power adapter included)
Power consumption:	≤ 3 W
Operation temp:	-40 °C ... 70 °C
Weight:	0.430 kg
Dimensions:	150 x 100 x 30 mm
Manufacturer / Brand:	DAHUA


DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>  
POL; 60-713 Poznań; Graniczna 10  
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60

Guarantee:

3 years

## PRESENTATION

Front panel:



Mounting side view:



Power connector:





In the kit:



## PACKAGE

Dimensions (L x W x H): 0x0x0 mm	Gross Weight: 0 kg
----------------------------------	--------------------