

Code: DH-PFS3005-4P-58

## SWITCH POE **DH-PFS3005-4P-58** 4-PORT DAHUA

Net: **130.00 PLN** Gross: **130.00 PLN**

The DH-PFS3005-4P-58 PoE Switch is an industrial type device enabling fluent network transmission at rates 10 / 100 Mbps.




### SPECIFICATION

LAN ports:	4 x RJ45 10/100 Base-T - PoE (802.3af/at)
Uplink ports:	1 x RJ45 10/100 Base-T
Transmission speed:	<ul style="list-style-type: none"><li>• 10 / 100 Mbps - 4 LAN &amp; PoE ports</li><li>• 10 / 100 Mbps - 1 Port Uplink</li></ul>
Maximal output power:	30 W / port PoE
Maximal total power:	58 W
MAC addresses table:	1k - Auto update of MAC addresses table
Main features:	<ul style="list-style-type: none"><li>• Auto-learning and Auto-aging functions support for MAC addresses</li><li>• Data Flow Control</li><li>• protection against lightning discharges and voltage differences and strokes between devices</li><li>• Operation modes :<ul style="list-style-type: none"><li>- Default - the device operates as normal PoE switch</li><li>- Extend - enabled the VLAN ports isolation between each other with possibility of communication each of them with the Uplink port up to 10 Mbps rate, maximal distance of data transmission and power sending in this mode is 250 m</li></ul></li></ul>
LED diodes:	Power, Link/Act
Certificates:	CE
Power supply:	51 V DC / 1.5 A (power adapter included)
Operation temp:	-10 °C ... 50 °C
Weight:	0.255 kg
Dimensions:	100 x 100 x 27 mm
Manufacturer / Brand:	DAHUA
Guarantee:	<b>3 years</b>

### PRESENTATION

Front panel:

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>  
POL; 60-713 Poznań; Graniczna 10  
e-mail: [delta-opti@delta.poznan.pl](mailto:delta-opti@delta.poznan.pl); tel: +(48) 61 864 69 60



Bottom view:



Power connector:



In the kit:



## PACKAGE

Dimensions (L x W x H): 0x0x0 mm	Gross Weight: 0 kg
----------------------------------	--------------------