

Code: DS-3E0310P-E/M

SWITCH POE **DS-3E0310P-E/M** 8-PORT Hikvision

Net: **108.23 EUR** Gross: **108.23 EUR**

The DS-3E0310P-E/M PoE Switch ensuring smooth network transmission at the speed 10 / 100 Mbps. PoE powering possibility, compatible with the 802.3af standard makes the device more universal and easier to install.



SPECIFICATION

LAN ports:	• 8 x RJ45 10/100 Base-TX (8 x PoE (802.3af/at)), • 2 x RJ45 10/100/1000 Base-TX
Transmission speed:	• 10 / 100 Mbps - 8 LAN & PoE ports, • 10 / 100 / 1000 Mbps - 2 Uplink ports
Maximal output power:	30 W / port PoE
Maximal total power:	60 W
MAC addresses table:	16k
Management:	—
Operation modes:	• Extend On : 300 m, 10 Mbps @ UTP cat. 5e, 6 • Extend Off : 100 m, 100 Mbps @ UTP cat. 5e, 6
Main features:	PoE power mode : The device supports 8-pin power supply
LED diodes:	Power, Link/Act, PoE
Certificates:	CE
Power supply:	48 V DC / 1.35 A (power adapter included)
Operation temp:	-10 °C ... 40 °C
Weight:	0.54 kg
Dimensions:	218 x 103 x 28 mm
Manufacturer / Brand:	Hikvision
SAP Code:	301801717
Guarantee:	3 years

PRESENTATION

Front panel:



DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60



1. LAN + PoE
 2. LAN + PoE
 3. LAN + PoE
 4. LAN + PoE
 5. LAN + PoE
 6. LAN + PoE
 7. LAN + PoE
 8. LAN + PoE
 - G1. LAN
 - G2. LAN
- Rear view:



In the kit:



PACKAGE

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
 POL; 60-713 Poznań; Graniczna 10
 e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60

Dimensions (L x W x H): 0x0x0 mm	Gross Weight: 0 kg
----------------------------------	--------------------

