

Code: PFS3009-8ET1GT-96-V2

SWITCH POE **PFS3009-8ET1GT-96-V2** 8-PORT DAHUA

Net: **309.00 PLN** Gross: **309.00 PLN**

The device is perfect to build a network of IP cameras with power supply in the PoE 802.3af / 802.3at standard.



SPECIFICATION


LAN ports:	• 1 x RJ45 10/100/1000 Base-T - Uplink, • 8 x RJ45 10/100 Base-T (1 x Hi-PoE (802.3bt) + 7 x PoE (802.3af/at))
Management:	—
LED diodes:	Power, PoE, Link/Act
Transmission speed:	10 / 100 / 1000 Mbps : 1 Port Uplink , 10 / 100 Mbps : 8 LAN & PoE ports
Maximal total power:	96 W
MAC addresses table:	2k
Operation modes:	• Extend On : 250 m, 10 Mbps • Extend Off : 100 m, 100 Mbps • PD Alive
Main features:	• PoE power mode - The device supports 8-pin power supply • Intelligent PoE power management - the device controls power consumption on individual ports • PoE Watchdog / PD Alive mode - monitoring of the ports that power PoE devices and automatic restart by cutting off the power supply when an unresponsive device is detected • protection against lightning discharges and voltage differences and strokes between devices
Certificates:	CE
Power supply:	• 48 ... 57 V DC • 53 V DC / 1.81 A (power adapter included)
Operation temp:	-10 °C ... 55 °C
Weight:	0.49 kg
Dimensions:	190 x 100 x 30 mm
Manufacturer / Brand:	DAHUA
Guarantee:	3 years

PRESENTATION

Front view:



DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60



1 - LAN + Hi-PoE (802.3bt)

2 - LAN + PoE

3 - Port Uplink

Rear view:



In the kit:



PACKAGE

Dimensions (L x W x H): 0x0x0 mm	Gross Weight: 0 kg
----------------------------------	--------------------

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
 POL; 60-713 Poznań; Graniczna 10
 e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60

