

Code: BCS-B-SP08G02G

SWITCH POE **BCS-B-SP08G02G** 8-PORT BCS BASIC

Net: **119.76 EUR** Gross: **119.76 EUR**

Due to the reliability and ensuring high quality of transmission, the BCS-B-SP08G02G 8-port PoE switch is an ideal solution for applications in CCTV IP installations. PoE powering possibility, compatible with the 802.3af / 802.3at standard makes the device more universal and easier to install.




SPECIFICATION

LAN ports:	• 2 x RJ45 - Uplink • 8 x RJ45 (8 x PoE (802.3af/at))
Management:	—
LED diodes:	Power, Link/Act, PoE
Transmission speed:	• 10 / 100 / 1000 Mbps - 8 LAN & PoE ports, • 10 / 100 / 1000 Mbps - 2 Uplink ports
Maximal output power:	30 W / port PoE
Maximal total power:	96 W
Main features:	• 2 x Port Uplink • 4 operating modes: AI VLAN, AI EXTEND, AI PoE, AI QoS - selectable by switch • AI VLAN mode - ports 1, 2, 3, 4, 5, 6, 7, 8 are isolated from each other, they only have a connection to the Uplink port • AI EXTEND mode - ports 1 ... 8 support transmission up to 250 m (cat5e, cat6) • AI QOS (Quality Of Service) mode - prioritization of video packets • AI PoE mode - monitoring of the ports that power PoE devices and automatic restart by cutting off the power supply when an unresponsive device is detected • MDI/MDI-X auto detection feature - auto detecting the data transmission mode • Metal housing
Certificates:	CE
Power supply:	52 V / 1.85 A (power adapter included)
Weight:	0.46 kg
Dimensions:	184 x 94 x 27 mm
Manufacturer / Brand:	BCS BASIC
Guarantee:	2 years

PRESENTATION

Front view:

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60



1. LAN + PoE
2. LAN: Uplink

Rear view:



In the kit:



PACKAGE

Dimensions (L x W x H): 0x0x0 mm	Gross Weight: 0 kg
----------------------------------	--------------------

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
 POL; 60-713 Poznań; Graniczna 10
 e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60

