

Code: PFM811-4CH

POC ADAPTER **PFM811-4CH** DAHUA

Net: **112.19 EUR** Gross: **112.19 EUR**



The PFM811-4CH PoC - Power over Coaxial Adapter allows to send the power with video signal via coaxial cable. The maximal range of the video transmission and power sending via RG-59 coaxial cable is equal 400 m.
The device operates from the recorder side.
The adapter requires a power supply of 12 ... 36 V DC which is sent via coaxial cables to cameras or the PFM811-C stabilizers.

SPECIFICATION

Standard:	HD-CVI - 1080p / 720p
Device type:	Active
Number of channels:	4 x Video + PoC
Video transmission range:	400 m @ RG59 / RG6
Connectors type:	<ul style="list-style-type: none">• 4 x Input Video - BNC socket• 1 x Input DC - Socket 2.1 / 5.5 mm• 4 x Output Video + PoC - BNC socket
Power voltage:	12 V ... 36 V DC (power adapter not included)
Power supply distance:	max. 400 m @ 15 W
Main features:	<ul style="list-style-type: none">• DIN, TS-35 rail mounting• Correct operation in a large range of input voltages
Permissible relative humidity:	< 95 %
Operation temp:	-10 °C ... 55 °C
Weight:	0.634 kg
Dimensions:	180 x 104 x 42 mm
Manufacturer / Brand:	DAHUA
Guarantee:	3 years

PRESENTATION

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60



Side view:




Top view:





Transmission schematic diagram:



- 1. Monitor
- 2. Video
- 3. Video + PoC
- 4. Camera

PACKAGE

Dimensions (L x W x H): 0x0x0 mm	Gross Weight: 0 kg
----------------------------------	--------------------