

Code: HYBRO-H04A1-S2

AHD, HD-CVI, HD-TVI, CVBS, TCP/IP DVR **HYBRO-H04A1-S2** 4 CHANNELS

Net: **232.00 PLN** Gross: **232.00 PLN**

The HYBRO-H04A1-S2 digital recorder with AHD (Analog High Definition), HD-CVI (High Definition Composite Video Interface), HD-TVI (High Definition Transport Video Interface), TCP/IP and CVBS interface is a professional device applicable in surveillance systems.

The menu options layout has been designed for all users, even beginners can easy navigate and change parameters in DVR settings without any problem.



SPECIFICATION

| | |
|----------------------------------|--|
| Standard: | AHD, HD-CVI, HD-TVI, PAL, TCP/IP |
| Video inputs: | 4 pcs BNC - AHD / HD-CVI / HD-TVI / CVBS |
| Video outputs: | 1 pcs HDMI 1 pcs VGA |
| Audio inputs: | 4 pcs CINCH |
| Audio outputs: | 1 pcs CINCH |
| Image compression method: | H.264 |
| Number of compression levels: | 6 |
| Image records resolutions: | <ul style="list-style-type: none">• AHD / HD-CVI / HD-TVI : 1920 x 1080, 960 x 1080, 1280 x 720• AHD-L / PAL : 928 x 576• PAL : 704 x 576• IP : 2592 x 1944, 1920 x 1080, 1280 x 960 |
| Maximal total frame rate: | <ul style="list-style-type: none">• AHD / HD-CVI / HD-TVI : 60 fps @ 1920 x 1080 px, 100 fps @ 960 x 1080 px, 100 fps @ 1280 x 720 px,• AHD / PAL : 100 fps @ 928 x 576 px, 100 fps @ 704 x 576 px,• IP : 400 fps @ 1920 x 1080 px 100 fps @ 2952 x 1944 px |
| Recording speed adjustment: | <ul style="list-style-type: none">1 ... 15 fps @ 1920 x 10801 ... 25 fps @ 960 x 1080 px1 ... 25 fps @ 1280 x 720 px1 ... 25 fps @ 928 x 576 px1 ... 25 fps @ 704 x 576 for each channel |
| Operation modes: | <ul style="list-style-type: none">• 4 x AHD / HD-CVI / HD-TVI @ 1080p• 4 x AHD / HD-CVI / HD-TVI @ 1080N• 2 x AHD / HD-CVI / HD-TVI @ 1080p + 2 x IP @ 1080p• 4 x AHD / HD-CVI / HD-TVI @ 1080N + 4 x IP 960p• 4 x IP max. 5 Mpx• 16 x IP max. 1080p All modes allow for any combination of the AHD-H, HD-CVI, HD-TVI, CVBS cameras |
| Recording modes: | Manual, Motion Detection, Schedule |
| Supported hard drives: | 1 x 10 TB SATA |
| External storage devices backup: | Records backup at (.avi) / (.h264) format to USB (pendrive) |

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60

| | |
|-------------------------------------|--|
| Searching and playback the records: | Records searching: timeline or file list. Playback: forward, backward, fast, slow. Records playback from max. 4 channels in the same time |
| Network functions: | Network Client software or IE browser: playback, DVR settings, files download, records searching |
| Mobile phones support: | Port no.: 34567 or access by a cloud (P2P) <ul style="list-style-type: none"> • Android: Free application XMEye • iOS (iPhone): Free application XMEye |
| Alarm inputs / outputs: | — |
| PTZ control: | RS-485 - PELCO-D/P and others |
| Motion Detection: | Split the screen into zones : 16 x 12 motion zones |
| Mouse support: | ✓ |
| IR remote controller in the set: | — |
| Power supply: | 12 V DC / 3 A (power adapter included) |
| Color: | Black |
| Weight: | 0.80 kg |
| Dimensions: | 255 x 225 x 44 mm |
| Supported languages: | English, Arabic, Brazilian Portuguese, Bulgarian, Chinese Traditional, Chinese Simplified, Czech, Finnish, French, Greek, Hebrew, Spanish, Dutch, Indonesian (Bahasa), Japanese, German, Persian, Polish, Portuguese, Russian, Romanian, Slovenian, Swedish, Thai, Turkish, Hungarian, Vietnamese, Italian |
| Country of origin: | China |
| Manufacturer / Brand: | HYBRO |
| Guarantee: | 2 years |

PRESENTATION

Top view:



Rear view:



In the kit:



OUR OPINIONS



DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
 POL; 60-713 Poznań; Graniczna 10
 e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60



- Small dimensions of the device.

PACKAGE

| | |
|----------------------------------|--------------------|
| Dimensions (L x W x H): 0x0x0 mm | Gross Weight: 0 kg |
|----------------------------------|--------------------|

