

Code: XVR5108HE-I2

# AHD, HD-CVI, HD-TVI, CVBS, TCP/IP DVR **XVR5108HE-I2** 8 CHANNELS DAHUA

Net: **315.21 EUR** Gross: **315.21 EUR**

The XVR5108HE-I2 digital recorder with AHD (Analog High Definition), HD-CVI (High Definition Composite Video Interface), HD-TVI (High Definition Transport Video Interface), TCP/IP and CVBS interface is a professional device applicable in surveillance systems.

The menu options layout has been designed for all users, even beginners can easy navigate and change parameters in DVR settings without any problem.



## SPECIFICATION

|                                  |                                                                                                                                                                                                                                 |
|----------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Standard:                        | AHD, HD-CVI, HD-TVI, CVBS, TCP/IP                                                                                                                                                                                               |
| Video inputs:                    | 8 pcs BNC                                                                                                                                                                                                                       |
| Video outputs:                   | 1 pcs HDMI<br>1 pcs VGA                                                                                                                                                                                                         |
| Audio inputs:                    | • 8 pcs - CINCH<br>• 8 - Audio support via coaxial cable, HD-CVI only                                                                                                                                                           |
| Audio outputs:                   | 1 pcs CINCH                                                                                                                                                                                                                     |
| Image compression method:        | AI Coding / H.265+ / H.265 / H.264+ / H.264                                                                                                                                                                                     |
| Image records resolutions:       | • AHD / HD-CVI / HD-TVI :<br>5M-N - 1296 x 1440 ,<br>4M-N - 1280 x 1440 ,<br>1080p - 1920 x 1080 ,<br>1080N - 960 x 1080 ,<br>720p - 1280 x 720 ,<br><br>• CVBS :<br>960H - 960 x 576<br><br>• IP :<br>max. 6 Mpx - 3072 x 2048 |
| Recording speed adjustment:      | 6 Mpx IP @ 1 ... 25 fps<br>5M-N @ 1 ... 10 fps<br>4M-N @ 1 ... 15 fps<br>1080p @ 1 ... 15 fps<br>1080N @ 1 ... 25 fps<br>720p @ 1 ... 25 fps<br>960H @ 1 ... 25 fps<br>for each channel                                         |
| Operation modes:                 | 8 x AHD / HD-CVI / HD-TVI / CVBS / IP + 4 x IP                                                                                                                                                                                  |
| Recording modes:                 | Manual, Sensor, Motion detection, Schedule                                                                                                                                                                                      |
| Supported hard drives:           | 1 x 10 TB SATA                                                                                                                                                                                                                  |
| External storage devices backup: | Save single frames and whole records from DVR drive to the USB drive                                                                                                                                                            |

|                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|-------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Searching and playback the records: | Records searching: by time + timeline with record type. Playback: forward, fast, slow, step<br>Advanced searching (to the one second accuracy)<br><br>Intelligent face search AI - simultaneous search in the archive of face recordings based on max 8 photos taking into account the similarity threshold (for each photo separately)<br>1/4/9 channel synchronous playback                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| Network functions:                  | Full support via network, Remote records copying, Web Server built-in max. 128 on-line users                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| Mobile phones support:              | Port no.: 37777 or access by a cloud (P2P)<br>• Android: Free application <a href="#">DMSS</a><br>• iOS (iPhone): Free application <a href="#">DMSS</a><br><br>See how to configure the P2P function in Dahua recorders and how to enable the mobile application                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| Alarm inputs / outputs:             | 8 / 3                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| PTZ control:                        | IP Speed Dome Cameras<br>Control compatible with coax PTZ HD-CVI<br>RS-485 - PELCO-D/P                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| Motion Detection:                   | Split the screen into zones : 22 x 18 motion zones                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| Main features:                      | <ul style="list-style-type: none"> <li>• Cooperation with Dahua devices working in the concept of the Internet of Things (IoT),</li> <li>• POS - support the machines installed in the points of sales and displaying the date from them as overlaid text on selected channel window,</li> <li>• SMD PLUS - searching for an object classified as: human, motor vehicle, non-motor vehicle</li> <li>• Coax Audio/Alarm support,</li> <li>• Intelligent image analysis : crossing the line (tripwire), crossing the line (tripwire), abandoned/missing object, classification of people and vehicles</li> <li>• advanced face recognition and search functions</li> <li>• Support for up to 10 face databases, including 10 000 face images</li> <li>• Detection of faces not included in the device database</li> <li>• Searching for faces in recordings based on max 8 selected photos with the ability to independently set the similarity threshold for each photo</li> </ul> |
| USB:                                | 2 pcs USB 2.0                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| Mouse support:                      | ✓                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| IR remote controller in the set:    | —                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| Power supply:                       | 12 V DC / 2 A (power adapter included)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| Color:                              | Black                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| Weight:                             | 1.19 kg                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| Dimensions:                         | 325 x 257 x 55 mm                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| Supported languages:                | Polish, English, Czech, Danish, Finnish, French, Greek, Spanish, Dutch, German, Portuguese, Russian, Romanian, Serbian, Slovak, Slovenian, Hungarian, Italian                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| Country of origin:                  | China                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| Manufacturer / Brand:               | DAHUA                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| Guarantee:                          | <b>3 years</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |

## PRESENTATION

Front panel:



DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>  
POL; 60-713 Poznań; Graniczna 10  
e-mail: [delta-opti@delta.poznan.pl](mailto:delta-opti@delta.poznan.pl); tel: +(48) 61 864 69 60





Rear view:



In the kit:



Example captures of device interface:



## PACKAGE

|                                  |                    |
|----------------------------------|--------------------|
| Dimensions (L x W x H): 0x0x0 mm | Gross Weight: 0 kg |
|----------------------------------|--------------------|

