

Code: BCS-XVR3202-III

AHD, HD-CVI, HD-TVI, CVBS, TCP/IP DVR **BCS-XVR3202-III** 32 CHANNELS

Net: **547.54 EUR** Gross: **547.54 EUR**

The BCS-XVR3202-III digital recorder with AHD (Analog High Definition), HD-CVI (High Definition Composite Video Interface), HD-TVI (High Definition Transport Video Interface), TCP/IP and CVBS interface is a professional device applicable in surveillance systems.

The menu options layout has been designed for all users, even beginners can easy navigate and change parameters in DVR settings without any problem.



SPECIFICATION

| | |
|----------------------------------|--|
| Standard: | AHD, HD-CVI, HD-TVI, CVBS, TCP/IP |
| Video inputs: | 32 pcs BNC |
| Video outputs: | 1 pcs HDMI 1 pcs VGA 1 pcs BNC socket - CVBS |
| Audio inputs: | 1 pcs CINCH |
| Audio outputs: | 1 pcs CINCH |
| Image compression method: | H.265 / H.265+ / H.264 / H.264+ |
| Number of compression levels: | 6 |
| Image records resolutions: | <ul style="list-style-type: none">• AHD / HD-CVI / HD-TVI : 1080p - 1920 x 1080 4M-N - 1280 x 1440 1080N - 960 x 1080 720p - 1280 x 720• CVBS : 960H - 960 x 576 , D1 - 704 x 576• IP : max. 6 Mpx - 3072 x 2048 |
| Recording speed adjustment: | 6 Mpx IP @ 1 ... 25 fps 1080p @ 1 ... 15 fps 4M-N @ 1 ... 15 fps 720p @ 1 ... 25 fps 1080N @ 1 ... 25 fps 960H @ 1 ... 25 fps for each channel |
| Operation modes: | 32 x AHD / HD-CVI / HD-TVI / CVBS / IP |
| Recording modes: | Manual, Motion Detection, Schedule |
| Supported hard drives: | 2 x 10 TB SATA |
| External storage devices backup: | Save single frames and whole records from DVR drive to the USB drive |

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60

| | |
|-------------------------------------|--|
| Searching and playback the records: | Records searching: by time + timeline with record type. Playback: forward, fast, slow, step Advanced searching (to the one second accuracy) |
| Network functions: | Network Client Software and IE browser: live view, playback and backup of the records, partial configuration of the recorder parameters |
| USB: | 1 pcs USB 2.0 1 pcs USB 3.0 |
| Mobile phones support: | Port no.: 37777 or access by a cloud (P2P) • Android: Free application DMSS • iOS (iPhone): Free application DMSS |
| Alarm inputs / outputs: | — |
| PTZ control: | RS-485 - PELCO-D/P and others |
| Motion Detection: | Split the screen into zones : 22 x 18 motion zones |
| Mouse support: | ✓ |
| IR remote controller in the set: | ✓ |
| Main features: | • Intelligent image analysis : crossing the line (tripwire), intrusion, abandoned/missing object, scene changing, face detection • Intelligent 3D Positioning System - PTZ BCS cameras only |
| Power supply: | 12 V DC / 5 A (power adapter included) |
| Color: | Black |
| Weight: | 2.04 kg |
| Dimensions: | 375 x 287 x 55 mm |
| Supported languages: | English, Polish |
| Country of origin: | China |
| Manufacturer / Brand: | BCS |
| Guarantee: | 3 years |

PRESENTATION

Front panel:



Rear view:



In the kit:



DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60



PACKAGE

| | |
|----------------------------------|--------------------|
| Dimensions (L x W x H): 0x0x0 mm | Gross Weight: 0 kg |
|----------------------------------|--------------------|

