

Code: GRAPHITE

PIR DETECTOR **GRAPHITE** SATEL

Net: **81.00 PLN** Gross: **81.00 PLN**

Digital passive PIR detector.



SPECIFICATION

Application:	Indoor
Pyroelectric sensor:	Double
Sensor type:	Passive Infra Red (PIR)
Range:	18 x 18 m
Sensitivity adjustment:	By potentiometer
Pet immunity:	—
Alarm time:	2 s
Maximal outputs load:	40 mA / 16 V DC
Digital temperature compensation:	✓
Power supply:	12 V DC / 14 mA
Main features:	Alarm memory
Target speed range:	0.3 ... 3 m/s
Operation temp:	-30 °C ... 55 °C
Weight:	0.07 kg
Dimensions:	62 x 96 x 48 mm
Manufacturer / Brand:	SATEL
Guarantee:	2 years

PRESENTATION


Internal view:



DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60




Description of particular elements of the device:



1. Terminals
2. LED indicator
3. LED indication settings
4. pyroelectric sensor
5. tamper contact
6. scale for positioning of pyroelectric sensor
7. fixing screw hole
8. potentiometer for sensitivity control PIR

Detector range:



In the kit:



PACKAGE

Dimensions (L x W x H): 0x0x0 mm	Gross Weight: 0 kg
----------------------------------	--------------------



DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
 POL; 60-713 Poznań; Graniczna 10
 e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60