

Code: DS-PDP18-EG2(P)

PIR DETECTOR **DS-PDP18-EG2(P)** Hikvision

Net: 108.58 DKK Gross: 108.58 DKK

Digital passive PIR detector, immune to pet weighing up to 10 kg.



SPECIFICATION


Application:	Indoor
Pyroelectric sensor:	Double
Sensor type:	Passive Infra Red (PIR)
Range:	18 m / 85.9 °
Sensitivity adjustment:	<ul style="list-style-type: none">• Automatic• 2 - step, manual
Pet immunity:	10 kg - (within the zone up to 10m), requires an adapter
Digital temperature compensation:	✓
Alarm output:	NC / EOL-NC / 2EOL-NC
Power supply:	9 ... 16 V DC / 11 mA @ 12 V (max)
Target speed range:	0.3 ... 2.0 m/s
Protection class (Grade):	Grade 2
Main features:	<ul style="list-style-type: none">• EN 50131-2-2:2017, EN50131-1:2006+A1:2009, EN50131-1:2006+A2:2017• Full digital control based on microprocessor technology• SEC (Smart Environmental Control) - advanced digital signal processing and 3D optics• digital detection algorithm with temperature compensation for high immunity to false alarms and repeatability of parameters• Immunity to environmental changes• Independent Floating Threshold (IFT) technology• Tamper detection - opening the enclosure• Assembly : 1.8 m ... 2.4 m• LED indication : Blue - Alarm signaling

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60

Operation temp:	-10 °C ... 55 °C
Weight:	0.07 kg
Dimensions:	87 x 65 x 46 mm
Manufacturer / Brand:	Hikvision
SAP Code:	314300065
Guarantee:	2 years

PRESENTATION

Internal view:



Mounting side view:






Detector range:



Detection Range
85.9°
52 zones
4 planes



In the kit:



PACKAGE

Dimensions (L x W x H): 0x0x0 mm	Gross Weight: 0 kg
----------------------------------	--------------------