

Code: LE-401759

FLUSH-MOUNTING DISTRIBUTION CABINET 72-MODULAR **LE-401759**

Practibox³ LEGRAND

Net: **450.35 PLN** Gross: **450.35 PLN**

4-row 72-modular flush-mounting distribution electric cabinet.



SPECIFICATION

Method of mounting:	Flush-mounted
Number of mounted modules:	18 x 4 rows, 17.5 mm
Spacing between TH 35 rails:	150 mm
Transparent door:	✓
Main features:	<ul style="list-style-type: none">• Removable chassis with TH 35 rails• Reversible door• Removable faceplates for each row of cabinet• Rated voltage : 400 V AC, 50 / 60 Hz• Max. current : 125 A• Short-circuit current : 10 kA• Equipped with terminal blocks
Equipment:	<ul style="list-style-type: none">• Terminal blocks1 x (2 x 25 mm² + 33 x 16 mm²)4 x (8 x 16 mm²)
Material:	Self-extinguishing
Color:	White
"Index of Protection":	IP40
IK rating:	IK07
Safety class:	Grade 2
Compliance with standards:	IEC/EN 60670-24, IEC/EN 62208, IEC/EN 61439-3
Operation temp:	-10 °C ... 60 °C

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60

Weight:	5.498 kg
Dimensions:	493 x 800 x 111 mm , 436 x 756 x 91 mm - flush-mounting box
Manufacturer / Brand:	LEGRAND
Guarantee:	2 years

PRESENTATION

Front view:



DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60




Internal view of the housing:




Mounting side view:






Dimensions:



In the kit:



PACKAGE

Dimensions (L x W x H): 0x0x0 mm	Gross Weight: 0 kg
----------------------------------	--------------------