

Code: MS-1

SOCKET MOTION DETECTOR **MS-1** Virone

Net: **9.03 EUR** Gross: **9.03 EUR**

An electrical device designed to automate the switching on and off of electrical devices after motion is detected by a PIR detector. Switching on takes place at the appropriate light intensity.



SPECIFICATION

Device type:	Socket Motion Detector
Rated voltage:	230 V / 50 Hz
Maximal load:	• 1200 W, • 300 W @ LED
Detection range:	9 m
Detection angle:	120 °
Detection range adjustment:	2 m ... 9 m
Light intensity adjustment range:	< 3 Lux ... 2000 Lux
Lighting time adjustment range:	10 s ± 3 s ... 7 minutes ± 2 minutes
Housing:	Plastic
Security class:	IP20
Socket type:	2P+Z, E type
Power supply:	230 V AC, 50 Hz
Color:	White
Weight:	0.11 kg
Dimensions:	98 x 52 x 73 mm
Manufacturer / Brand:	Virone
Guarantee:	2 years

PRESENTATION

Front view:



Potentiometers to adjust the lighting time, PIR detector sensitivity and twilight sensor sensitivity:



Side view:



Rear view:



PACKAGE

Dimensions (L x W x H): 0x0x0 mm	Gross Weight: 0 kg
----------------------------------	--------------------