

Code: ASC1204C-D

## ACCESS CONTROLLER **ASC1204C-D** DAHUA

Net: **658.37 EUR** Gross: **658.37 EUR**



The ASC1204C-D controller is intended to use in access control systems based on electrical control of door opening.

### SPECIFICATION

Number of served transitions:	4 (two-way)
Support:	DAHUA
Number of supported readers:	8 pcs
Battery backup support:	max. 7 Ah
Input lines:	20 pcs
Output lines:	12 pcs - Relay
Communication:	<ul style="list-style-type: none"><li>• RS-485,</li><li>• Ethernet,</li><li>• Wiegand 34/26</li></ul>
Power supply:	85 ... 264 V AC
Main features:	<ul style="list-style-type: none"><li>• Support for 4 doors (20 inputs: 4x lock state, 4x door sensor, 4x exit button, 8x alarm line)</li><li>• 100000 indexed users</li><li>• History of 150000 events</li><li>• 128 General Purpose Schedules</li><li>• Function to prevent of multiple use of the same code/card to gain access (anti-passback)</li><li>• Door Left Open and Door Forced Open alarms</li><li>• Tamper detection - opening the enclosure</li><li>• Watchdog built-in</li><li>• Remote programming from PC</li><li>• Metal housing</li></ul>
Operation temp:	-30 °C ... 60 °C
Permissible relative humidity:	max. 95 % (non-condensing)




DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>  
POL; 60-713 Poznań; Graniczna 10  
e-mail: [delta-opti@delta.poznan.pl](mailto:delta-opti@delta.poznan.pl); tel: +(48) 61 864 69 60


Weight:	2.63 kg
Dimensions:	280 x 320 x 115 mm
Manufacturer / Brand:	DAHUA
Guarantee:	<b>3 years</b>

## PRESENTATION

Front view:



Internal view of the housing:



Bottom view:



Side view:




Mounting side view:






Dimensions:



In the kit:



DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>  
POL; 60-713 Poznań; Graniczna 10  
e-mail: [delta-opti@delta.poznan.pl](mailto:delta-opti@delta.poznan.pl); tel: +(48) 61 864 69 60



**PACKAGE**

Dimensions (L x W x H): 0x0x0 mm	Gross Weight: 0 kg
----------------------------------	--------------------

