


Code: ASC2204B-S

ACCESS CONTROLLER **ASC2204B-S** DAHUA

Net: **291.50 EUR** Gross: **291.50 EUR**



The ASC2204B-S controller is intended to use in access control systems based on electrical control of door opening.

SPECIFICATION


Number of served transitions:	4 (one-way)
Support:	DAHUA
Number of supported readers:	4 pcs
Battery backup support:	—
Output lines:	5 pcs - Relay
Communication:	<ul style="list-style-type: none">• RS-485,• Ethernet,• Wiegand
Power supply:	12 V DC / 1.4 A
Main features:	<ul style="list-style-type: none">• 100000 indexed users• History of 150000 events• Remote programming from PC• Function of protection against multiple use of the same card for access (anti-passback)• Counter of the door opening time with the possibility of sending an alarm signal after exceeding the set value• Automatic sending of alarm messages to the SmartPSS system or after entering a code, card or fingerprint defined as door opening under duress
Default IP address:	192.168.0.2
Default admin user / password:	admin / - The administrator password should be set at the first start
Operation temp:	-30 °C ... 60 °C
Permissible relative humidity:	max. 95 % (non-condensing)
Weight:	0.354 kg
Dimensions:	207 x 116 x 52 mm
Manufacturer / Brand:	DAHUA
Guarantee:	3 years

PRESENTATION

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60



Device connectors:



Mounting side view:



In the kit:



PACKAGE

Dimensions (L x W x H): 0x0x0 mm	Gross Weight: 0 kg
----------------------------------	--------------------



DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60