

Code: H4A

IP PTZ CAMERA INDOOR **H4A** Hero A1 Wi-Fi - 3.7 Mpx 3.6 mm DAHUA

Net: **35.10 EUR** Gross: **35.10 EUR**

IP PTZ camera with efficient H.265 / H.264 image compression algorithm for clear and smooth video streaming at max. resolution of 4 Mpx.

Very easy operation via mobile devices (Android / iOS), allows the users for comfortable and remote operation, and also management of the camera. The used Wi-Fi module allows to remote communication with camera for max. distance up to 50 m. The camera has no built-in web interface, configuration only through the DMSS application.

The device is ideal for eg. as a baby monitor, with mobile image view on smartphone and possibility of bi-directional audio transmission.



SPECIFICATION

Standard:	IP
Resolution:	2560 x 1440 - 3.7 Mpx
Sensor:	1/3 " Progressive Scan CMOS
Lens:	3.6 mm
View angle:	74 °
Range of IR illumination:	10 m
Horizontal rotation range:	0 ° ... 355 ° - Rotation of the head is limited by stops
Vertical rotation range:	-5 ° ... 80 °
Audio:	• Microphone built-in, • Speakers built-in, • Bi-directional audio streaming support
Image compression method:	H.265
Main stream frame rate:	25 fps @ 3.7 Mpx
Interface:	• 10/100 Base-T (RJ-45), • Wi-Fi IEEE 802.11 b/g/n
WEB Server:	—
ONVIF:	✓
Mobile phones support:	Access by a cloud (P2P) • Android: Free application DMSS • iOS (iPhone): Free application DMSS

Default IP address:	DHCP
Default admin user / password:	admin / - The administrator password should be set at the first start
Web browser access ports:	—
PC client access ports:	37777
Mobile client access ports:	37777
Port ONVIF:	80
RTSP URL:	rtsp://admin:haslo@192.168.1.108:554/cam/realmonitor?channel=1&subtype=0 - Main stream rtsp://admin:haslo@192.168.1.108:554/cam/realmonitor?channel=1&subtype=1 - Sub stream
Memory card slot:	Micro SD card support up to 256GB
Main features:	• Wi-Fi module - IEEE 802.11 b/g/n - 2.4 GHz • D-WDR - Wide Dynamic Range • Image rotation and mirror • Motion Detection - max. 4 zones • Intelligent recognition of the human figure and tracking the movement of a person
Power supply:	5 V DC / 1 A (power adapter included)
Power consumption:	≤ 3.6 W
Housing:	Plastic
Color:	White
"Index of Protection":	—
Mechanical protection class:	—
Operation temp:	-10 °C ... 45 °C
Weight:	0.2 kg
Dimensions:	Ø 78 x 108 mm
Supported languages:	English, Polish
Manufacturer / Brand:	DAHUA
Guarantee:	3 years

PRESENTATION

Front view:



DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60



Memory card slot and "Reset" button:





Rear view:



Camera connectors:



In the kit:



OUR OPINIONS



- Very small camera dimensions.

PACKAGE

Dimensions (L x W x H): 0x0x0 mm	Gross Weight: 0 kg
----------------------------------	--------------------



DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60