

Code: IPC-T26EP

## IP CAMERA **IPC-T26EP** Wi-Fi TURRET - 1080p 2.8 mm IMOU

Net: **48.04 EUR** Gross: **48.04 EUR**

The cameras of the IMOU series have been designed with special care to simplify the configuration and operation. In combination with the user friendly IMOU platform, the IMOU series devices allow anyone to create a simple and effective surveillance system.

Very easy operation via mobile devices (Android / iOS), allows the users for comfortable and remote operation, and also management of the camera. The used Wi-Fi module allows to remote communication with camera for max. distance up to 100 m. In order to obtain optimal performance of IMOU series cameras, it is recommended to use DAHUA Micro SD memory cards. Camera is according to IP67 Index of Protection norm.

In addition, the camera has the function of active deterrence of intruders using a motion-activated white light LED spotlight and siren sound.

**Attention!** The IMOU series devices do not have a WEB interface.



### SPECIFICATION

Standard:	TCP/IP
Sensor:	1/2.7 " Progressive Scan CMOS
Matrix size:	2.1 Mpx
Resolution:	1920 x 1080 - 1080p
Lens:	2.8 mm
View angle:	114 °
White light LED illuminator range:	30 m
Audio:	<ul style="list-style-type: none"><li>• Microphone built-in,</li><li>• Speakers built-in,</li><li>• Bi-directional audio streaming support,</li><li>• Alarm siren : 110 dB</li></ul>
Image compression method:	H.265 / H.264
Main stream frame rate:	25 fps @ 1080p
Network protocols:	TCP, DHCP
ONVIF:	✓
Network interface:	Wi-Fi - IEEE 802.11 b/g/n
Mobile phones support:	Access by a cloud (P2P) <ul style="list-style-type: none"><li>• Android: Free application <a href="#">IMOU</a></li><li>• iOS (iPhone): Free application <a href="#">IMOU</a></li></ul>

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>  
POL; 60-713 Poznań; Graniczna 10  
e-mail: [delta-opti@delta.poznan.pl](mailto:delta-opti@delta.poznan.pl); tel: +(48) 61 864 69 60

Default admin user / password:	admin / - The administrator password should be set at the first start
Default IP address:	DHCP
Web browser access ports:	—
PC client access ports:	—
Mobile client access ports:	—
Port ONVIF:	—
WEB Server:	—
RTSP URL:	—
Memory card slot:	Micro SD memory cards up to 256GB support (possible local recording)
Main features:	Length of the cable : 0.4 m
Main features:	<ul style="list-style-type: none"> <li>• Wi-Fi Module - IEEE 802.11 b/g/n, Range : 100 m (open area),</li> <li>• Antenna : 2x2 MIMO</li> <li>• RESET button</li> <li>• D-ZOOM - Digital Zoom : 16x</li> <li>• Motion Detection</li> <li>• Human detection</li> <li>• Light and sound alarm</li> <li>• Active deterrence function</li> </ul>
Power supply:	12 V DC / 1 A (power adapter included)
Power consumption:	≤ 7 W
"Index of Protection":	IP67
Weight:	0.36 kg
Dimensions:	Ø 110 x 102 mm
Supported languages:	—
Manufacturer / Brand:	DAHUA / IMOU
Guarantee:	2 years

## PRESENTATION

Camera is out from clamping ring:






Mounting side view:



Camera connectors:



In the kit:



## PACKAGE

Dimensions (L x W x H): 0x0x0 mm	Gross Weight: 0 kg
----------------------------------	--------------------



DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>  
POL; 60-713 Poznań; Graniczna 10  
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60