

Code: IPC-S21FP

# PTZ OUTDOOR IP CAMERA **IPC-S21FP** Wi-Fi CRUISER SE - 1080p 3.6 mm IMOU

Net: **54.75 EUR** Gross: **54.75 EUR**

The cameras of the IMOU series have been designed with special care to simplify the configuration and operation. In combination with the user friendly IMOU platform, the IMOU series devices allow anyone to create a simple and effective surveillance system.

Very easy operation via mobile devices (Android / iOS), allows the users for comfortable and remote operation, and also management of the camera. The used Wi-Fi module allows to remote communication with camera for max. distance up to 100 m. Camera is according to IP66 Index of Protection norm.

In addition, the camera has the function of active deterrence of intruders using a motion-activated white light LED spotlight.

**Attention!** The IMOU series devices do not have a WEB interface. In order to obtain optimal performance of IMOU series cameras, it is recommended to use DAHUA Micro SD memory cards.



## SPECIFICATION

Standard:	TCP/IP
Sensor:	1/2.9 " Progressive Scan CMOS
Matrix size:	2 Mpx
Resolution:	1920 x 1080 - 1080p
Lens:	3.6 mm
View angle:	86 °
Range of IR illumination:	30 m
Horizontal rotation range:	355 °
Vertical rotation range:	0 ° ... 90 °
Audio:	<ul style="list-style-type: none"><li>• Microphone built-in,</li><li>• Audio transmission via network</li></ul>
Image compression method:	H.264
Main stream frame rate:	20 fps @ 1080p
Network protocols:	TCP, DHCP, ONVIF
Network interface:	<ul style="list-style-type: none"><li>• Ethernet : 100 Mbps</li><li>• Wi-Fi IEEE 802.11 b/g/n</li></ul>
WEB Server:	—

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>  
POL; 60-713 Poznań; Graniczna 10  
e-mail: [delta-opti@delta.poznan.pl](mailto:delta-opti@delta.poznan.pl); tel: +(48) 61 864 69 60

Mobile phones support:	Access by a cloud (P2P) <ul style="list-style-type: none"> <li>• iOS (iPhone): Free application <a href="#">IMOU</a></li> <li>• Android: Free application <a href="#">IMOU</a></li> </ul>
Default admin user / password:	admin / - The administrator password should be set at the first start
Default IP address:	DHCP
Web browser access ports:	—
PC client access ports:	—
Mobile client access ports:	—
RTSP URL:	—
Memory card slot:	Micro SD memory cards up to 256GB support (possible local recording)
Main features:	<ul style="list-style-type: none"> <li>• Wi-Fi Module - IEEE 802.11 b/g/n, Range : 100 m (open area),</li> <li>• Motion Detection</li> <li>• People detection</li> <li>• Intelligent Object Tracking</li> <li>• Alarm notifications - Sending instant motion-activated alerts to mobile phone</li> <li>• D-ZOOM - Digital Zoom : 16x</li> <li>• Full Color - colorful night mode</li> <li>• LED Floodlight</li> <li>• Light alarm</li> <li>• Active deterrence function</li> <li>• IMOU Cloud</li> <li>• RESET button</li> </ul>
Power supply:	12 V DC / 1 A (power adapter included)
Power consumption:	< 6.2 W
"Index of Protection":	IP66
Weight:	0.39 kg
Dimensions:	<ul style="list-style-type: none"> <li>• Ø 110 x 129 mm ( Camera )</li> <li>• 136 x 121 x 183 mm (with bracket), (with antennas)</li> </ul>
Supported languages:	—
Manufacturer / Brand:	DAHUA / IMOU
Guarantee:	2 years

## PRESENTATION

Rear view:



RESET button:



Memory card slot:



In the kit:



DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>  
POL; 60-713 Poznań; Graniczna 10  
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60



**PACKAGE**

Dimensions (L x W x H): 0x0x0 mm	Gross Weight: 0 kg
----------------------------------	--------------------

