

Code: S551-SKP

## VIDEO DOORPHONE INTEGRATED WITH MAILBOX **S551-SKP** VIDOS

Net: **388.13 EUR** Gross: **388.13 EUR**

Video doorphone integrated with one-way mailbox. The box is designed for mounting in a fence post or wall. Thanks to the use of the highest quality materials, it is resistant to weather conditions.

The video doorphone has been equipped with a color camera with the possibility of adjusting horizontally and vertically in the range of several degrees.

The S551-SKP is designed to cooperation with video doorphones and panels working in analog VIDOS system.



### SPECIFICATION

|                                   |  |
|-----------------------------------|--|
| Compatibility:                    | VIDOS Analog Video Doorphones  |
| Sensor:                           | 1/3 ", 600 TVL   |
| View angle:                       | 87 °   |
| IR illuminator:                   | ✓  |
| LED illuminator:                  | —  |
| Fingerprint reader built-in:      | —  |
| proximity reader built-in:        | —  |
| Built-in keypad:                  | —  |
| The number of subscribers served: | 1  |
| Video output:                     | ✓  |
| Main features:                    | <ul style="list-style-type: none"><li>• Integrated mailbox - Through</li><li>• Camera - Angle adjustment range <math>\pm 10^\circ</math></li><li>• Backlight - 8 x LED IR</li><li>• Vandal-proof front panel</li><li>• Electric strikes and electromagnetic locks support</li><li>• Call button - Blue backlight</li></ul> |
| Power supply:                     | From internal panel  |
| Power consumption:                | $\leq 1.5$ W (operation)   |
| Housing:                          | Acid-proof steel, Waterproof   |
| Color:                            | Silver   |

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>  
POL; 60-713 Poznań; Graniczna 10  
e-mail: [delta-opti@delta.poznan.pl](mailto:delta-opti@delta.poznan.pl); tel: +(48) 61 864 69 60

|                        |   |
|------------------------|---|
| "Index of Protection": | IP65  |
| Operation temp:        | -20 °C ... 55 °C  |
| Weight:                | 4.8 kg  |
| Dimensions:            | <ul style="list-style-type: none"> <li>• Front panel : 285 x 385 mm</li> <li>• Rear panel : 265 x 360 mm</li> <li>• Adjustable depth of the box : 190 ... 255 mm</li> </ul> |
| Manufacturer / Brand:  | VIDOS   |
| Guarantee:             | <b>3 years</b>  |

## PRESENTATION

Front panel:



Rear view:





The depth of the box is adjustable:



View after removing the back panel:



Front panel - view from the wall side:






Connectors description:



Dimensions:



In the kit:



## PACKAGE

|                                  |                    |
|----------------------------------|--------------------|
| Dimensions (L x W x H): 0x0x0 mm | Gross Weight: 0 kg |
|----------------------------------|--------------------|