

Code: M1022W-2

INDOOR PANEL **M1022W-2** VIDOS

Net: **111.59 EUR** Gross: **111.59 EUR**

The M1022W-2 is dedicated for cooperation with video doorphones and panels compatible with the VIDOS DUO digital system.



SPECIFICATION

Compatibility:	VIDOS DUO
Shield:	4.3 " TFT-LCD color matrix
Resolution:	480 x 272
Main features:	<ul style="list-style-type: none">• Wiring - 2 wires without polarity,• Plug & Play,• Ultra-flat hands-free monitor, with speakerphone,• Backlit, touch control panel,• Microphone built-in,• Speakers built-in,• Bidirectional communication,• Possibility to extend the system with any 3 additional indoor panels or uniphones from the VIDOS DUO brand• "Do not disturb" mode - muting the device for the time set by the user,• Number of ring-tones : 12• Support up to 4 door stations - M-SM4 Module,• Preview image from the door station with the possibility of turning on the sound and opening the gate,• Control of the electric strike and automatic gate,• Addressable internal and external intercom,• Intercom and call forwarding function,• Support up to 4 additional CCTV cameras - view from cameras possible via an additional M-K4 module,• Lighting control via an additional B5 module,• OSD menu
Power supply:	20 V DC ... 28 V DC
Power consumption:	<ul style="list-style-type: none">• 0.17 W (Standby mode)• 4.7 W (operation)
Housing:	Plastic

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60

Color:	White
Operation temp:	0 °C ... 40 °C
Supported languages:	Polish, English, French, Spanish, German, Russian, Italian
Weight:	0.27 kg
Dimensions:	138 x 138 x 21 mm
Manufacturer / Brand:	VIDOS
Guarantee:	3 years

PRESENTATION


Front panel:




Rear view:



Connectors description:



In the kit:



PACKAGE

Dimensions (L x W x H): 0x0x0 mm	Gross Weight: 0 kg
----------------------------------	--------------------

