

Code: ITC237-PU1B-IR

IP CAMERA ANPR **ITC237-PU1B-IR** - 1080p 5 ... 50 mm DAHUA

Net: **827.45 EUR** Gross: **827.45 EUR**

The IP ANPR (Automatic Number Plate Recognition) Camera is designed for auto recognition of the vehicle number plates.

PoE powering possibility, compatible with the 802.3at standard makes the device more universal and easier to install.



SPECIFICATION

Standard:	TCP/IP
Sensor:	1/2.8 " Progressive Scan CMOS
Matrix size:	2.1 Mpx
Resolution:	1920 x 1080 - 1080p
Lens:	5 ... 50 mm - Auto Iris DC, included
Lens mount:	C
View angle:	50 ° ... 5.6 °
Range of IR illumination:	40 m
S/N ratio:	> 50 dB (AGC off)
Compression:	H.265 / H.264 / MJPEG
Main stream frame rate:	25 fps - 1080p
Network interface:	10/100 Base-T (RJ-45)
Network protocols:	IPv4/IPv6, HTTP, TCP/IP, NTP, DHCP
WEB Server:	Built-in, NVR compliance
Max. number of on-line users:	20
ONVIF:	—
Alarm inputs / outputs:	2 / 2
Audio:	—
Memory card slot:	Micro SD memory cards up to 64GB support (possible local recording)
RS-485 interface:	✓
Mobile phones support:	—

Main features:	<ul style="list-style-type: none"> • Max. speed of a moving vehicle : 60 km/h • Image analysis : License plate recognition, Gate opening, White list - embedded, Loop detection • Motozoom lens • ICR - Movable InfraRed filter • Day/Night mode (color/b&w/auto)
Power supply:	PoE (802.3at)
Power consumption:	≤ 17 W
Housing:	Compact, Metal / Plastic
Color:	White
"Index of Protection":	IP66
Operation temp:	-30 °C ... 60 °C
Weight:	3.47 kg
Dimensions:	404 x 164 x 132 mm
Supported languages:	English
Manufacturer / Brand:	DAHUA
Guarantee:	3 years

PRESENTATION



Side view:




Bottom view:



Internal view of the housing:



Camera connectors:





See how to initialize DAHUA cameras:

:

In the kit:



PACKAGE

Dimensions (L x W x H): 0x0x0 mm	Gross Weight: 0 kg
----------------------------------	--------------------