

Code: VTH1660CH

INDOOR PANEL IP **VTH1660CH** DAHUA

Net: 2 508.00 PLN Gross: 2 508.00 PLN

The VTH1660CH panel has been designed to create a simple and effective system of local communication. The device works with video doorphones, and other DAHUA panels. It can be also used as simple alarm control panel, or notification module by the support 6 alarm inputs. ATTENTION! The device does not support the Dahua analogue system.



SPECIFICATION


Compatibility:	Interphone installation - DAHUA
Shield:	10.2 " TFT-LCD color matrix
Internal memory:	4 GB
Main features:	<ul style="list-style-type: none">• Memory card slot,• Microphone built-in,• Speakers built-in,• Bidirectional communication,• Smooth adjustment of monitor parameters: image brightness, ring tone volume and conversation volume,• The ability to automatically take and save photos if you do not answer to the bell button,• The ability to record a short video message in the absence of a response to the bell button,• IP Dahua cameras support,• The ability of direct communication between two or more panels
Controlling:	One-touch action buttons + capacitive touch screen
Alarm inputs:	6
Alarm outputs:	1
Power supply:	<ul style="list-style-type: none">• 10 V ... 15 V DC / 580 mA,• 24 V PoE - DAHUA
Operation temp:	-10 °C ... 60 °C
Color:	Black + Gold
Weight:	1.11 kg
Dimensions:	260 x 189 x 33 mm
Supported languages:	English, Bulgarian, Czech, Finnish, Polish, Slovenian, Slovak, Hungarian

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60

Manufacturer / Brand:	DAHUA
Guarantee:	3 years

PRESENTATION



Front view:



Rear view:



DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60



Example of application:



- 1. INDOOR PANEL
 - 2. Video doorphone
 - 3. DHI-VTNS1060A
 - 4. Hub / Switch
 - 5. System management center
 - 6. Remote client
- In the kit:



PACKAGE

Dimensions (L x W x H): 0x0x0 mm	Gross Weight: 0 kg
----------------------------------	--------------------

