

Code: VTH1550CHM

INDOOR PANEL IP **VTH1550CHM** DAHUA

Net: 1 020.00 PLN Gross: 1 020.00 PLN



The VTH1550CHM panel has been designed to create a simple and effective system of local communication.

The device cooperates with video doorphones, and other panels working in DAHUA IP standard. It can be also used as simple alarm control panel, or notification module by the support 8 alarm inputs.

ATTENTION! The device does not support the Dahua analogue system.

SPECIFICATION

Compatibility:	Interphone installation - DAHUA
Shield:	7 " TFT-LCD color matrix
Resolution:	800 x 480
Internal memory:	—
Main features:	<ul style="list-style-type: none">• Memory card slot - max. 32 GB,• Microphone built-in,• Speakers built-in,• Bidirectional communication,• Smooth adjustment of monitor parameters: image brightness, ring tone volume and conversation volume,• The ability to automatically take and save photos if you do not answer to the bell button,• The ability to record a short video message in the absence of a response to the bell button,• IP Dahua cameras support,• The ability of direct communication between two or more panels
Controlling:	capacitive touch screen
Alarm inputs:	8
Power supply:	<ul style="list-style-type: none">• 12 V DC / 580 mA,• 24 V PoE - DAHUA
Operation temp:	-10 °C ... 60 °C
Color:	Gold + Black
Weight:	0.546 kg
Dimensions:	200 x 137 x 33 mm
Supported languages:	Polish, English, Bulgarian, Czech, Finnish, Slovenian, Slovak, Hungarian

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60

Manufacturer / Brand:	DAHUA
Guarantee:	3 years


PRESENTATION

Front view:




Rear view:





Connectors view:



Memory card slot:




In the kit:



Example of application:





- 1. INDOOR PANEL
- 2. Video doorphone
- 3. DHI-VTNS1060A
- 4. Hub / Switch
- 5. System management center
- 6. Remote client

PACKAGE

Dimensions (L x W x H): 0x0x0 mm	Gross Weight: 0 kg
----------------------------------	--------------------