

Code: VT03211D-P4

VIDEO DOORPHONE **VT03211D-P4** DAHUA

Net: **1 286.00 PLN** Gross: **1 286.00 PLN**

The device works with video doorphones, and other DAHUA panels. Video Doorphone is mounted in a surface housing. The device generates a separate QR code for each room (for each VTH panel), which allows connection from the smartphone via the P2P network. **ATTENTION!** The device does not support the Dahua analogue system.



SPECIFICATION

Compatibility:	DAHUA
Sensor:	1/2.8 ", 2 Mpx CMOS
View angle:	140 °
Image compression method:	H.264
IR illuminator:	✓
proximity reader built-in:	Access control cards - 13.56 MHz S50
The number of subscribers served:	4
UTP category:	UTP cat. 5e
Main features:	<ul style="list-style-type: none">• It can only work with the mobile application, without the VTH monitor• The function of the monitor with the ability to open the door can be a smartphone, tablet or the VTH indoor panel• Bidirectional communication,• Microphone built-in,• Speakers built-in,• Tamper detection - opening the enclosure,• Vandal-proof front panel,• Output for the additional lock release button
Mobile phones support:	Port no.: 37777 or access by a cloud (P2P) <ul style="list-style-type: none">• Android: Free application DMSS• iOS (iPhone): Free application DMSS There are also other versions of mobile applications: gDMSS Plus, iDMSS Plus
Power supply:	<ul style="list-style-type: none">• PoE (802.3af),• 12 V DC / 580 mA

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60

Power consumption:	≤ 7 W (operation) ≤ 1 W (Standby mode)
Housing:	Aluminum - powder painted, Waterproof
Color:	Graphite
"Index of Protection":	IP65 - after additional sealing the housing connection with the mounting surface, e.g. with silicone
Mechanical strength:	IK08
Operation temp:	-40 °C ... 60 °C
Weight:	0.47 kg
Dimensions:	182 x 101 x 31 mm
Supported languages:	Polish, English, Bulgarian, Czech, Finnish, Slovenian, Slovak, Hungarian
Manufacturer / Brand:	DAHUA
Guarantee:	3 years

PRESENTATION

Front view:



Side view:






Rear view:




Connectors view:



Dimensions:




Method of mounting:



In the kit:


DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
 POL; 60-713 Poznań; Graniczna 10
 e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60



Examples of connection diagrams:



1. Power supply
2. Doorbell button
3. Reed switch
4. Door lock (strike)
5. Indoor Panel VTH 1
6. Indoor Panel VTH 4
7. Apartment No. 1




1. Power supply
2. Doorbell button



DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
 POL; 60-713 Poznań; Graniczna 10
 e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60

3. Reed switch
4. Door lock (strike)
5. Indoor Panel VTH 1
6. Indoor Panel VTH 4
7. Apartment No. 1
8. Apartment No. 2



1. Power supply
2. Doorbell button
3. Reed switch
4. Door lock (strike)
5. Indoor Panel VTH 1
6. Indoor Panel VTH 4
7. Apartment No. 1
8. Apartment No. 2
9. Apartment No. 3
10. Apartment No. 4

PACKAGE

Dimensions (L x W x H): 0x0x0 mm	Gross Weight: 0 kg
----------------------------------	--------------------

