

Code: VTO2000A-R

PROXIMITY READER MODULE **VTO2000A-R** DAHUA

Net: **303.00 PLN** Gross: **303.00 PLN**

The device works with video doorphones, and other DAHUA panels. Module is designed to mount inside the VTOBxxx series housings with the VTOFxxx series frames of DAHUA brand. Attention! The VTO2000A-R requires to cooperation the VTO2000A-C.



SPECIFICATION

Cards support:	13.56 MHz S50
Reading distance of prox-keys:	max. 8 cm
Autonomous operation:	—
Keyboard built-in:	—
Doorbell button:	—
Tamper output:	—
Compatibility:	VTO-2000A-C
Power supply:	Supplied by VTO2000A-C
Power consumption:	< 0.45 W
Permissible relative humidity:	10 ... 95 % (non-condensing)
"Index of Protection":	IP54
Housing:	Metal / Plastic
Color:	Silver
Operation temp:	-40 °C ... 60 °C
Weight:	0.19 kg
Dimensions:	110 x 118 x 25 mm
Manufacturer / Brand:	DAHUA
Guarantee:	3 years

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60

PRESENTATION

Front panel view:



Rear view:



Connectors view:




Side view:



Example of application:





1. INDOOR PANEL
2. PIR detector
3. IP Camera
4. Switch
5. System management center
6. Electromagnetic lock

PACKAGE

Dimensions (L x W x H): 0x0x0 mm	Gross Weight: 0 kg
----------------------------------	--------------------

