

Code: DS-KD8003-IME1(B)/SURFACE/EU

# VIDEO DOORPHONE MODULE **DS-KD8003-IME1(B)/SURFACE/EU**

Hikvision

Net: **241.15 EUR** Gross: **241.15 EUR**

The DS-KD8003-IME1(B)/SURFACE/EU is the main unit of the video doorphone modular system of the Hikvision brand.

Using the DS-KD8003-IME1(B)/SURFACE/EU main unit, the video doorphone system can be extended to a maximum of 8 extension modules.

Video Doorphone is mounted in a surface housing.



## SPECIFICATION

|                           |                                                                                                                                                                                                                                                                                                                      |
|---------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Compatibility:            | Hikvision - DS-KD-xx                                                                                                                                                                                                                                                                                                 |
| Doorbell button:          | 1 pcs                                                                                                                                                                                                                                                                                                                |
| Sensor:                   | 2.1 Mpx CMOS                                                                                                                                                                                                                                                                                                         |
| Camera resolution:        | 1920 x 1080 - 1080p                                                                                                                                                                                                                                                                                                  |
| Camera view angle:        | 146 °                                                                                                                                                                                                                                                                                                                |
| Image compression method: | H.264                                                                                                                                                                                                                                                                                                                |
| IR illuminator:           | ✓                                                                                                                                                                                                                                                                                                                    |
| Ethernet:                 | 10/100 Mb/s                                                                                                                                                                                                                                                                                                          |
| Network protocols:        | TCP/IP, RTSP                                                                                                                                                                                                                                                                                                         |
| Alarm inputs:             | 4 pcs                                                                                                                                                                                                                                                                                                                |
| Relay outputs:            | 2 x NO/NC                                                                                                                                                                                                                                                                                                            |
| Main features:            | <ul style="list-style-type: none"><li>• Bidirectional communication,</li><li>• Microphone built-in,</li><li>• Speakers built-in,</li><li>• Noise suppression and echo cancellation,</li><li>• Tamper detection - removing from mounting surface,</li><li>• Video Doorphone is mounted in a surface housing</li></ul> |
| Power supply:             | <ul style="list-style-type: none"><li>• PoE (802.3af),</li><li>• 12 V DC</li></ul>                                                                                                                                                                                                                                   |

|                        |                                                                                                                                                                                        |
|------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Power consumption:     | ≤ 5 W                                                                                                                                                                                  |
| Operation temp:        | -40 °C ... 60 °C                                                                                                                                                                       |
| Housing:               | Metal                                                                                                                                                                                  |
| Color:                 | Graphite                                                                                                                                                                               |
| "Index of Protection": | IP65                                                                                                                                                                                   |
| Weight:                | 0.6 kg                                                                                                                                                                                 |
| Dimensions:            | 107 x 117 x 46 mm                                                                                                                                                                      |
| Supported languages:   | Polish, English, Bulgarian, Croatian, Czech, French, Greek, Spanish, Dutch, German, Portuguese, Russian, Romanian, Serbian, Slovak, Turkish, Ukrainian, Hungarian, Vietnamese, Italian |
| Manufacturer / Brand:  | Hikvision                                                                                                                                                                              |
| SAP Code:              | 305303872                                                                                                                                                                              |
| Guarantee:             | <b>3 years</b>                                                                                                                                                                         |

## PRESENTATION

Front panel:




Device taken out from the housing:




Mounting side view:





1. Alarm sensors
  2. INDOOR PANEL
  3. Switch PoE
  4. Guard station
  5. Main unit powered by PoE switch
  6. IP cameras
  7. Expansion modules
- In the kit:



## PACKAGE

|                                  |                    |
|----------------------------------|--------------------|
| Dimensions (L x W x H): 0x0x0 mm | Gross Weight: 0 kg |
|----------------------------------|--------------------|