

Code: KT-33

UNIVERSAL METER KT-33 KEMOT

Net: 8.40 EUR Gross: 8.40 EUR



The KT-33 is a universal digital meter used to measure: voltage, current, resistance, diodes.

SPECIFICATION

DC voltage measurement:	200 mV \pm (0.5% + 2) @ 0.1 mV , 2000 mV \pm (0.5% + 2) @ 1 mV , 20 V \pm (0.5% + 2) @ 0.01 V , 200 V \pm (0.5% + 2) @ 0.1 V , 500 V \pm (0.8% + 2) @ 1 V
AC voltage measurement:	200 V \pm (1.2% + 10) @ 0.1 V , 500 V \pm (1.2% + 10) @ 1 V
DC current measurement:	200 μ A \pm (1.0% + 2) @ 0.1 μ A , 2000 μ A \pm (1.0% + 2) @ 1 μ A , 20 mA \pm (1.0% + 2) @ 0.01 mA , 200 mA \pm (1.2% + 2) @ 0.1 mA , 10 A \pm (2.0% + 5) @ 0.01 A
AC current measurement:	—
Resistance measurement:	200 Ω \pm (0.8% + 5) @ 0.1 Ω , 2 k Ω \pm (0.8% + 2) @ 0.001 k Ω , 20 k Ω \pm (0.8% + 2) @ 0.01 k Ω , 200 k Ω \pm (0.8% + 2) @ 0.1 k Ω , 2 M Ω \pm (0.8% + 2) @ 0.001 M Ω , 20 M Ω \pm (1.0% + 5) @ 0.01 M Ω , 200 M Ω \pm (5% + 10) @ 0.1 M Ω * * Warning! For the measuring range of 200 M Ω , subtract 10 from the reading value
Capacitance measurement:	—
Inductance measurement:	—
Frequency measurement:	—
Temperature measurement:	—
Automatic change of measuring ranges:	—
hFE:	✓

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60

Diode test:	✓
Sound signal of the continuity test:	✓
Checking TTL logic states:	—
RS-232:	—
Main features:	<ul style="list-style-type: none"> • Large, readable LCD display • Low battery level alarm • Aesthetic and solid construction • Built-in rectangular signal source with a frequency of 50 Hz and an output resistance of 47 kΩ
Power supply:	9V, type 6F22 battery - included
Weight:	0.18 kg
Dimensions:	133 x 77 x 37 mm
Manufacturer / Brand:	KEMOT
Guarantee:	2 years

PRESENTATION

Front panel:



Rear view:



Place for 9V battery:



In the kit:



PACKAGE

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60

Dimensions (L x W x H): 0x0x0 mm	Gross Weight: 0 kg
----------------------------------	--------------------

