

Code: DWR-933

MODEM 4G LTE CAT. 6, MOBILE ROUTER **DWR-933** Wi-Fi 2.4 GHz, 5 GHz,
300 Mbps + 867 Mbps D-Link
Net: **152.48 EUR** Gross: **152.48 EUR**

Portable LTE hotspot.

The DWR-933 supports the latest generation of 4G Cat.6 FDD/TDD-LTE connections, ensuring a seamless connection to the Internet in most countries and regions. The device allows you to easily share the network connection up to 32 devices simultaneously.



SPECIFICATION

Frequency range:	• Wi-Fi : 2.4 GHz, 5 GHz, • LTE : 2600 MHz, 2100 MHz, 1800 MHz, 900 MHz, 800 MHz
Antenna type:	2 x WiFi - Internal antenna , 1 x 4G LTE - Internal antenna, 1 x 2 MIMO
Standards:	IEEE 802.11 b/g/n/ac, 4G LTE, 3G DC-HSPA+/HSPA+/HSPA/UMTS, 2G GSM
Baud rates:	• Wi-Fi : 300 Mbps + 867 Mbps, • LTE Cat. 6 : 300 Mbps / 50 Mbps
Network type:	• 4G : FDD-LTE B1/B3/B7/B8/B20 - 2100 / 1800 / 2600 / 900 / 800 MHz • 4G : TDD-LTE B38 - 2600 MHz • 3G : DC-HSPA+/HSPA+/HSPA/UMTS - 2100 / 1900 / 900 / 850 MHz • 2G : GSM - 1900 / 1800 / 900 / 850 MHz
LAN ports:	—
Ports:	• 1 x micro USB - Battery charging, PC • 1 x SIM socket - The microSIM cards support • 1 x microSD socket - The microSD - max. 64 GB cards support
LTE:	✓
QSS:	—
WDS:	—
Protections:	• WEP 64/128-bit, WPA/WPA2 • NAT network firewall

Main features:	• ON/OFF button • WPS button • 1 " OLED display 128 x 64 px : Network type, Signal indicator, Roaming, SMS, INTERNET, WiFi, Battery • Port forwarding : UPnP, DMZ • Max. number of supported devices : 32 • Backup time max. 14 h
Power supply:	• 3000 mAh Li-Ion battery • 5 V DC / 1 A Charging via USB port
Operation temp:	0 °C ... 40 °C
Permissible relative humidity:	10 % ... 90 % (non-condensing)
Weight:	0.13 kg
Dimensions:	98 x 71 x 19 mm
Manufacturer / Brand:	D-Link
Guarantee:	2 years

PRESENTATION

Front panel:



Control keys:



micro USB connector:



Rear view:



Internal view of the housing:



Memory card and SIM card slot:





In the kit:



PACKAGE

Dimensions (L x W x H): 0x0x0 mm	Gross Weight: 0 kg
----------------------------------	--------------------