

Code: DL650E-FR/UPS

## UPS **DL650E-FR/UPS** 650 VA CyberPower

Net: **342.70 PLN** Gross: **342.70 PLN**

The DL650E-FR/UPS UPS is a professional device used to maintain the operation of the components connected to it.



### SPECIFICATION

Nominal power:	360 W
Apparent Power:	650 VA
Input voltage:	230 V AC
Input frequency:	47 ... 63 Hz (auto detection)
Output voltage:	230 V AC $\pm$ 7 % (Approximated Sine Wave)
Output frequency:	50 / 60 Hz $\pm$ 1 %
Typical battery charge time:	8 hours
Battery:	1 x 12V/4.5Ah
Estimated battery operation time:	<ul style="list-style-type: none"><li>• 10 minutes - 50% load</li><li>• 3 minutes - 100% load</li></ul>
Number of outputs:	3 pcs
Management software:	PowerPanel Personal Edition
Protections:	<ul style="list-style-type: none"><li>• Overvoltage</li><li>• Overload protection</li></ul>
Operation state indication:	<ul style="list-style-type: none"><li>• LCD display: operation mode, battery charging level, in/out voltage level</li><li>• Sound signaling</li></ul>
Main features:	<ul style="list-style-type: none"><li>• Replaceable batteries</li><li>• Auto restart and charging</li><li>• USB interface</li></ul>

Application:	<ul style="list-style-type: none"> <li>• Surveillance Systems</li> <li>• data storage centers</li> <li>• network, servers, workstations</li> <li>• Industrial Equipment</li> </ul>
Housing type:	Tower
Operation temp. / Relative humidity:	0 °C ... 40 °C / 0 ... 90 %
Weight:	2.76 kg
Dimensions:	230 x 188 x 91 mm
Manufacturer / Brand:	CyberPower
Guarantee:	2 years

## PRESENTATION

Top view:



Rear view:





In the kit:



## PACKAGE

Dimensions (L x W x H): 0x0x0 mm	Gross Weight: 0 kg
----------------------------------	--------------------