

Code: BR700ELCD-FR/UPS

UPS **BR700ELCD-FR/UPS** 700 VA CyberPower

Net: **440.68 PLN** Gross: **440.68 PLN**

The BR700ELCD-FR/UPS UPS is a professional device used to maintain the operation of the components connected to it.



SPECIFICATION

Nominal power:	420 W
Apparent Power:	700 VA
Input voltage:	165 ... 290 V AC
Input frequency:	45 ... 65 Hz
Output voltage:	220 ... 240 V AC \pm 5 % (Approximated Sine Wave) 5 V DC / 1 A @ USB
Output frequency:	50 / 60 Hz \pm 1 %
Typical battery charge time:	8 hours
Battery:	1 pcs RBP0083
Estimated battery operation time:	<ul style="list-style-type: none">• 47 minutes @ 60 W• 28 minutes @ 90 W
Number of outputs:	<ul style="list-style-type: none">• 4 pcs - Battery backup,• 4 pcs - Overvoltage protection,• 1 pcs - USB,• 2 pcs - RJ11 / RJ45
Transfer time:	4 ms
Management software:	PowerPanel Personal Edition
Protections:	<ul style="list-style-type: none">• Overvoltage,• Overload protection,• Phone/Fax/Modem and DSL/Network protection : RJ11 / RJ45
Main features:	<ul style="list-style-type: none">• Sound signaling• LED indication• LCD display: operation mode, battery charging level, in/out voltage level• Low battery level alarm• Auto restart and charging

Application:	<ul style="list-style-type: none"> • Surveillance Systems • data storage centers • network, servers, workstations • Industrial Equipment
Housing type:	Desktop
Operation temp. / Relative humidity:	0 °C ... 40 °C / 0 ... 90 %
Weight:	5.64 kg
Dimensions:	285 x 160 x 118 mm
Manufacturer / Brand:	CyberPower
Guarantee:	2 years

PRESENTATION

Top view:



Side view:



In the kit:



PACKAGE

Dimensions (L x W x H): 0x0x0 mm	Gross Weight: 0 kg
----------------------------------	--------------------

