

Code: HDD-ST3000VX015

# HDD FOR DVR **HDD-ST3000VX015** 3TB 24/7 SkyHawk SEAGATE

Net: **408.32 PLN** Gross: **408.32 PLN**



Internal, 3.5" HDD with excellent performance.

The disk is designed for reliable 24-hour operation in CCTV surveillance systems. Serial ATA interface connection.

## SPECIFICATION

Capacity:	3 TB
Interface:	SATA 6 Gb/s
Size format:	3.5 "
Cache memory:	256 MB
Technology:	<ul style="list-style-type: none"><li>• ImagePerfect™ firmware is designed to ensure seamless video footage capture in 24x7 surveillance workloads</li><li>• Built-in data recovery function for uninterrupted video streaming</li><li>• Increased hard drive workload rate - even up to 180 TB per year</li><li>• Optimized to handle up to 64 single-stream HD cameras</li><li>• MTBF (Mean Time Between Faults) : 1 000 000 h</li></ul>
Designed to continuous operation 24/7:	✓
Weight:	0.43 kg
Manufacturer / Brand:	SEAGATE
Guarantee:	<b>3 years</b>

## PRESENTATION

Top view:

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>  
POL; 60-713 Poznań; Graniczna 10  
e-mail: [delta-opti@delta.poznan.pl](mailto:delta-opti@delta.poznan.pl); tel: +(48) 61 864 69 60



The Seagate SKYHAWK drives marked "surveillance video recording" are designed to work in video surveillance systems. Its design allows for error-free recording of several Full HD streams in 24/7 mode.  
Connectors:



Memory storage for video recording:

Cameras amount	Main stream	Disk usage	Disk usage	1TB	2TB	3TB	4TB
pcs	kb/s	MB/h	GB/24h	Number of days	Number of days	Number of days	Number of days
1	750	329,6	7,7	120,5	241,0	361,6	482,2
1	1000	439,5	10,3	90,4	180,8	271,2	361,7
1	2000	878,9	20,6	45,2	90,4	135,6	180,8
1	2500	1098	25,7	36,2	72,3	108,5	144,7
1	3000	1318	30,9	30,1	60,3	90,4	120,6
1	4000	1757	41,2	22,6	45,2	67,8	90,4

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>  
POL; 60-713 Poznań; Graniczna 10  
e-mail: [delta-opti@delta.poznan.pl](mailto:delta-opti@delta.poznan.pl); tel: +(48) 61 864 69 60

1	5000	2197	51,5	18,1	36,2	54,2	72,3
1	6000	2636	61,8	15,1	30,1	45,2	60,3
1	8000	3515	82,4	11,3	22,6	33,9	45,2
1	3000	1318	30,9	30,1	60,3	90,4	120,6
2	3000 x 2	2636	61,8	15,1	30,1	45,2	60,3
3	3000 x 3	3955	92,7	10,0	20,1	30,1	40,2
4	3000 x 4	5273	123,6	7,5	15,1	22,6	30,1
6	3000 x 6	7910	185,4	5,0	10,0	15,1	20,1
8	3000 x 8	10546	247,2	3,8	7,5	11,3	15,1
10	3000 x 10	13183	309,0	3,0	6,0	9,0	12,1
12	3000 x 12	15820	370,8	2,5	5,0	7,5	10
16	3000 x 16	21093	494,4	1,9	3,8	5,6	7,5
20	3000 x 20	26367	618,0	1,5	3,0	4,5	6,0
25	3000 x 25	32959	772,5	1,2	2,4	3,6	4,8
32	3000 x 32	42187	988,8	0,94	1,88	2,82	3,77
64	3000 x 64	84375	1977	0,47	0,94	1,41	1,88

#### PACKAGE

Dimensions (L x W x H): 0x0x0 mm	Gross Weight: 0 kg
----------------------------------	--------------------

