

Code: FUT025

LED LIGHTING CONTROLLER WITH REMOTE CONTROL **FUT025** 2.4 GHz, RGB 12 ... 24 V DC MiBOXER / Mi-Light

Net: **9.32 EUR** Gross: **9.32 EUR**

The FUT025 lighting controller is designed to control the activation, brightness and color of the three-channel RGB LED strips. The controller is controlled using a wireless remote control operating in the 2.4 GHz band (included).

The MiBOXER controllers allow you to divide the lighting into up to 4 zones and independently control the zones using the remote control. Thanks to the repeater function, if the distance $\leq 30\text{m}$ is kept between the controllers, it is possible to transmit the control signal to controllers that are beyond the direct range of the remote control.



SPECIFICATION

| | |
|---|---|
| Application: | Works with LED lighting - (RGB) 12-24V LED strips |
| Rated voltage: | 12 ... 24 V DC |
| Maximal total load: | <ul style="list-style-type: none">• 120 W @ 12 V,• 240 W @ 24 V |
| Total maximal current: | 6 A / Channel, 10 A (total) |
| Number of inputs: | 1 |
| Number of outputs: | 4 (power) |
| Connector type: | <ul style="list-style-type: none">• screw terminals,• 5.5/2.1 socket / screw terminals - power input |
| Wireless: | 2.4 GHz |
| Radio communication range (at open area): | 30 m |
| Mobile phones support: | — |
| Main features: | <ul style="list-style-type: none">• The repeater function allows you to transfer control to subsequent LED-W-WC / LED-RGB-WC / LED-RGBW-WC modules even beyond the direct range of the remote control,• The set includes a 2.4 GHz radio remote control to control the controller,• Remote control power supply: 2x AAA 1.5V batteries (not included) |
| Housing: | Plastic |
| Color: | White |
| Operation temp: | -10 °C ... 40 °C |
| Weight: | 0.05 kg |
| Dimensions: | 85 x 45 x 22 mm |
| Manufacturer / Brand: | MiBOXER / Mi-Light |
| Guarantee: | 2 years |

PRESENTATION

Controller:

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60



Connectors:





Remote control:



Place for batteries 2 x 1.5V AAA:



In the kit:



PACKAGE

| | |
|----------------------------------|--------------------|
| Dimensions (L x W x H): 0x0x0 mm | Gross Weight: 0 kg |
|----------------------------------|--------------------|

