

Code: 12V/8.34A-GTPCS

## SWITCHING ADAPTER 12V/8.34A-GTPCS

Net: 108.42 PLN Gross: 108.42 PLN

GTPCS series power supplies are a great solution wherever there is little space for installation. Thanks to their flat housing and small size, they are ideal for use in the furniture and advertising industries. A very important advantage of the device is compliance with the standards: EN 55015, EN 62493, EN 61547, EN 61000-3-3, EN 61000-3-2.

Attention! If the power adaptor is using for continuous work (24H) the rated current of the adaptor should be less than 80% of the maximal current.

Please pay attention for proper cooling conditions of the power adaptor during work!



### SPECIFICATION

Adapter type:	Switching
Power voltage:	180 ... 264 V AC
Frequency range:	50 / 60 Hz
Output voltage:	12 V DC
Maximal load:	8.34 A
Output power:	100 W
Number of outputs:	1 pcs
Protections:	<ul style="list-style-type: none"><li>• Overload</li><li>• Short-circuit</li><li>• Overvoltage</li></ul>
Housing type:	Plastic
Operation temp:	-20 °C ... 45 °C
Main features:	Box casing designed to wall mounting
Weight:	0.18 kg
Dimensions:	320 x 30 x 18.2 mm
Guarantee:	2 years

### PRESENTATION

Top view:



DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>  
POL; 60-713 Poznań; Graniczna 10  
e-mail: [delta-opti@delta.poznan.pl](mailto:delta-opti@delta.poznan.pl); tel: +(48) 61 864 69 60



Connectors:



Dimensions:



## PACKAGE

Dimensions (L x W x H): 0x0x0 mm	Gross Weight: 0 kg
----------------------------------	--------------------

