

Code: AWO-000

UNIVERSAL ENCLOSURE FOR ALARM CONTROL PANEL BOARDS **AWO-000**

PULSAR

Net: **32.75 EUR** Gross: **32.75 EUR**



SPECIFICATION

Transformer:	20 VA
Power supply:	230 V AC
Place for battery:	7 Ah / 12 V
Tamper protection:	Tamper detection - opening the enclosure, removing from mounting surface
Current-carrying capacity of TAMPER output:	max. 500 mA @ 50 V DC
"Index of Protection":	IP20
Application:	Control panels: Satel, Risco, DSC, Paradox, Pyronix, Crow, Summit, Roel, EBS - The list of compatible devices is available below
Power adapter included:	✓
Operation temp:	-10 °C ... 40 °C
Weight:	2 kg
Dimensions:	255 x 255 x 90 mm
Manufacturer / Brand:	PULSAR
Guarantee:	2 years

PRESENTATION

Front view:

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60



Internal view of the housing:



Mounting side view:





In the kit:



PACKAGE

Dimensions (L x W x H): 0x0x0 mm	Gross Weight: 0 kg
----------------------------------	--------------------