

Code: MT-22-L

## MONITOR HDMI, VGA **MT-22-L** 21.5 " UNIARCH

Monitor is equipped with one analog VGA input and one digital HDMI input. The LED matrix illumination technology allows to real colors reproduction, 40% lower current consumption and much lower failure rate compared to normal LCD monitors with CCFL illumination.



### SPECIFICATION

Screen size:	21.5 "
Native resolution:	1920 x 1080 px
Aspect ratios:	16 : 9
Matrix type:	TFT LCD
Contrast:	4000 : 1
Brightness:	250 cd/m <sup>2</sup>
Viewable angles:	178 ° horizontal 178 ° vertical
Response time:	6.5 ms
Speakers built-in:	—
Signal connectors:	<ul style="list-style-type: none"><li>• 1 x HDMI</li><li>• 1 x VGA</li><li>• 1 x Power socket</li></ul>
Number of displayed colors:	16.7 M
Refresh frequency:	60 Hz
HDCP:	✓
Housing type:	Plastic
DLNA:	—
Monitor mounting standard:	VESA 100

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>  
POL; 60-713 Poznań; Graniczna 10  
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60

Robbery protection:	✓
Parameters adjustment:	OSD - by monitor control keys
Power supply:	12 V DC / 2 A (power adapter included)
Power consumption:	<ul style="list-style-type: none"> <li>• &lt; 23 W (typical)</li> <li>• &lt; 0.5 W (in standby mode)</li> </ul>
Weight:	2.51 kg
Dimensions:	<ul style="list-style-type: none"> <li>• 508 x 394 x 210 mm (with stand)</li> <li>• 508 x 308 x 40 (without stand)</li> </ul>
Manufacturer / Brand:	UNIVIEW / UNIARCH
Guarantee:	<b>3 years</b>

## PRESENTATION



OSD menu control keys:



Side view:



DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>  
 POL; 60-713 Poznań; Graniczna 10  
 e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60



Rear view:






Monitor connectors:



Dimensions:



In the kit:

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>  
POL; 60-713 Poznań; Graniczna 10  
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60



## PACKAGE

Dimensions (L x W x H): 0x0x0 mm	Gross Weight: 0 kg
----------------------------------	--------------------

