

Code: AOC-24B1H

MONITOR VGA, HDMI, AUDIO **AOC-24B1H** 23.6 "

Net: **505.89 PLN** Gross: **505.89 PLN**



SPECIFICATION

Screen size:	23.6 "
Native resolution:	1920 x 1080 px
Aspect ratios:	16 : 9
Matrix type:	MVA, WLED backlight, Matte matrix
Contrast:	3000 : 1 (typical) 20 000 000 : 1 - DCR
Brightness:	250 cd/m ²
Viewable angles:	178 ° horizontal 178 ° vertical
Response time:	5 ms
Number of displayed colors:	16.7 M
Refresh frequency:	max. 76 Hz
Speakers built-in:	—
Signal connectors:	• 1 x VGA, • 1 x HDMI 1.4, • 1 x Jack 3.5 mm socket - Headphones output, • 1 x 2.1/5.5 mm socket - Power connector
Main features:	• Flicker-free - The technology eliminates the tiring eyes flickering image effect • The blue light reduction function, which is the most unhealthy for the eyes, limits its emission • HDMI cable included • MTBF (Mean Time Between Faults) : 50 000 h

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60

Housing type:	Plastic, Narrow profile
Power management:	• Energy Star 8 • Energy efficiency class E (Regulation (EU) 2019/2013)
DLNA:	—
Monitor mounting standard:	—
Robbery protection:	✓
Parameters adjustment:	OSD - using the button on the casing
Designed to continuous operation 24/7:	—
Power supply:	19 V DC / 1.31 A (power adapter included)
Power consumption:	• 22 W (typical) • 0.5 W (in standby mode) • 0.5 W (in off mode)
Weight:	• 2.55 kg (with stand) • 2.40 kg (without stand)
Dimensions:	• 540 x 417 x 187 mm (with stand) • 540 x 318 x 34 (without stand)
Manufacturer / Brand:	AOC
Guarantee:	3 years

PRESENTATION



OSD menu control keys:



Side view:



DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60



Rear view:




Monitor connectors:





Dimensions:



In the kit:



PACKAGE

Dimensions (L x W x H): 0x0x0 mm	Gross Weight: 0 kg
----------------------------------	--------------------