

Code: VM-215

MONITOR VGA, HDMI **VM-215** 21.5 " VILUX

Net: **86.44 EUR** Gross: **86.44 EUR**



SPECIFICATION

Screen size:	21.5 "
Native resolution:	1920 x 1080 px
Aspect ratios:	16 : 9
Matrix type:	IPS, LED backlight, Matte matrix
Contrast:	1000 : 1 (typical)
Brightness:	350 cd/m ²
Viewable angles:	• 178 ° horizontal, • 178 ° vertical
Response time:	3 ms
Number of displayed colors:	16.7 M
Refresh frequency:	max. 75 Hz
Speakers built-in:	—
Signal connectors:	• 1 x VGA, • 1 x HDMI, • 1 x 2.1/5.5 mm socket - Power connector
Main features:	• Flicker-free - The technology eliminates the tiring eyes flickering image effect • The blue light reduction function, which is the most unhealthy for the eyes, limits its emission • HDMI cable included
Housing type:	Plastic, Narrow profile

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60

Power management:	Energy efficiency class A+ (Regulation (EU) 2019/2015)
DLNA:	—
Monitor mounting standard:	VESA 75
Robbery protection:	✓
Parameters adjustment:	OSD - using the button on the casing
Designed to continuous operation 24/7:	✓
Power supply:	12 V DC / 2.5 A (power adapter included)
Power consumption:	• ≤ 15 W (typical) • ≤ 0.3 W (in standby mode)
Weight:	• 2.11 kg (with stand)
Dimensions:	• 493 x 373 x 155 mm (with stand) • 493 x 283 x 38 (without stand)
Manufacturer / Brand:	VILUX
Guarantee:	2 years

PRESENTATION



OSD menu control keys:



Side view:



DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60



Rear view:



Monitor connectors:





In the kit:



PACKAGE

Dimensions (L x W x H): 0x0x0 mm	Gross Weight: 0 kg
----------------------------------	--------------------