

Code: MB-3

BALLAST MAST BASE MB-3

Net: 168.64 EUR Gross: 168.64 EUR

The MB-3 ballast mast base is perfect to use when there is a need to install the devices on the mast for a specified time (construction works, advertising campaign, festival, etc.). We can instantly without damaging the walls or the ground in a solid way fix the elements on the mast, and next just as quickly all elements disassembled.

To load the base, use concrete blocks of dimensions 380 x 240 x 120 mm and weight min. 24 kg in the dry state.

ATTENTION! The kit does not include the M6 blocks neither mast, which is selected depending on needs from one-element masts up to 50 mm diameter.




SPECIFICATION


Height of the mast:	max. 3 m (not included)
Mast diameter:	max. Ø 60 mm
Material:	Steel galvanized - Hot-dip galvanized
Manufacturer / Brand:	DELTA
Main features:	<ul style="list-style-type: none">• External dimensions of the whole base : 2550 x 2550 mm• Whole element is hot-dip galvanized• The mast base is suitable for transport on a EURO pallet• It is perfect to mount antennas : Satellite, WLAN, DVB-T
Weight:	25 kg
Internal dimensions of the base:	3 x (390 x 390) mm
Guarantee:	3 years

PRESENTATION

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60




The base can be placed even on a sloping roof:



Particular elements:









OUR OPINIONS



- The area for mast assembling does not have to be flat.
- At each support you should adjust its height and inclination.
- Whole element is hot-dip galvanized.

PACKAGE

Dimensions (L x W x H): 0x0x0 mm	Gross Weight: 0 kg
----------------------------------	--------------------

