

Code: STT-60-70/4M

TELETECHNICAL POLE 4 m **STT-60-70/4M**

Net: 2 102.22 SEK Gross: 2 102.22 SEK

Teletechnical pole intended for mounting cameras and other devices whose weight does not exceed 10 kg and the surface area of the largest wall of the installed device does not exceed 0.3 m². The product has space and holes inside to facilitate aesthetic cable management, as well as drainage holes at the base to remove accumulated water.



SPECIFICATION

Height of the mast:	4.01 m ± 20 mm
Number of sections:	3
Material:	Steel - Hot-dip galvanized
Wall thickness:	2 mm
Bearing capacity:	10 kg
Load surface exposed to wind:	max. 0.3 m ²
Cross-section of the pole:	Square : 70 x 70 mm - Segment 1 65 x 65 mm - Segment 2 60 x 60 mm - Segment 3
Base dimensions:	250 x 250 mm
Diameter of cable holes:	25 mm
Transport height:	1.5 m
Weight:	21.1 kg
Guarantee:	2 years
Manufacturer / Brand:	DELTA

PRESENTATION


Connection of sections:




DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60



Internal view:




Pole base:



Top of the pole:



Dimensions:



PACKAGE

Dimensions (L x W x H): 0x0x0 mm	Gross Weight: 0 kg
----------------------------------	--------------------