

Code: PFS3102-1T

MEDIA CONVERTER **PFS3102-1T** SFP DAHUA

Net: **36.63 EUR** Gross: **36.63 EUR**



Industrial level Ethernet media converter. Devices of this type can be used in installations realized in industrial facilities in harsh environmental conditions like high or low temperature.
Attention! The SFP port requires the SFP module, which is available in our offer.

SPECIFICATION

Connector type:	port SFP
Supported standards:	IEEE 802.3, IEEE 802.3u, IEEE 802.3ab, IEEE 802.3z, IEEE 802.3x
Port LAN:	1 pcs (RJ-45. UTP/STP)
Transmission speed:	10/100/1000 Mbps
Main features:	<ul style="list-style-type: none">• Auto detection of the bit rate• LED indicators showing operating status• Industrial wide temperature design.• protection against lightning discharges and voltage differences and strokes between devices• Devices for mounting on a DIN, TS-35 rail
Power supply:	12 V DC / 1 A (power adapter included)
Operation temp:	-40 °C ... 70 °C
Permissible relative humidity:	10 % ... 90 %
Weight:	0.420 kg
Dimensions:	150 x 100 x 30 mm
Manufacturer / Brand:	DAHUA
Guarantee:	3 years

PRESENTATION

Front panel:



DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60



Mounting side view:



Power connector:



In the kit:



PACKAGE

Dimensions (L x W x H): 0x0x0 mm	Gross Weight: 0 kg
----------------------------------	--------------------