

Code: TP-434

## OUTDOOR SIDE OPENING HOUSING TP-434

Net: 88.00 PLN Gross: 88.00 PLN

Closed with buckles and half open cover of the housing allows to free access to inner area without any additional tools. Half-open housings allow to easy access to inside mounted elements in contrast to sliding housings. Attention: The camera ground shouldn't be connected to the housing ground.



### SPECIFICATION

External dimensions:	380 x 138 x 101 mm
Internal dimensions:	285 x 100 x 75 mm
Glass dimensions:	63 x 84 mm
Material:	Aluminum - powder painted
Thermostat:	—
Certificates:	IP66
Main features:	The product is adapted to work outdoors • Bracket not included in the kit
Weight:	0.900 kg
Guarantee:	2 years

### PRESENTATION

Internal view of the housing:



Side view (the housing is closed with a buckle):



DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>  
POL; 60-713 Poznań; Graniczna 10  
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60



Bottom view:



Housing with bracket (bracket is sold separately):



In the kit:



## OUR OPINIONS



- Perfect access to the lens during adjustment.

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>  
POL; 60-713 Poznań; Graniczna 10  
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60

**PACKAGE**

Dimensions (L x W x H): 0x0x0 mm	Gross Weight: 0 kg
----------------------------------	--------------------

