

Code: PRT62LT-G

## PROXIMITY READER **PRT62LT-G** ROGER

Net: **52.11 EUR** Gross: **52.11 EUR**



Outdoor proximity cards and key-fobs reader. Unique 125 kHz standard.

### SPECIFICATION

|                                |                                                                                                                                                                                                                                 |
|--------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Cards support:                 | Unique EM 125kHz                                                                                                                                                                                                                |
| Reading distance of prox-keys: | max. 12 cm                                                                                                                                                                                                                      |
| Keyboard built-in:             | —                                                                                                                                                                                                                               |
| Autonomous operation:          | —                                                                                                                                                                                                                               |
| Doorbell button:               | —                                                                                                                                                                                                                               |
| Tamper output:                 | ✓                                                                                                                                                                                                                               |
| Communication:                 | <ul style="list-style-type: none"><li>• Wiegand 26-66bit</li><li>• Magstripe (Clock &amp; Data)</li><li>• RACS (Roger)</li></ul>                                                                                                |
| Main features:                 | <ul style="list-style-type: none"><li>• Tamper protection (detection of removing from mounting surface and enclosure opening)</li><li>• LED indication</li><li>• Beep signal</li><li>• Manual or computer programming</li></ul> |
| Power supply:                  | 10 ... 15 V DC                                                                                                                                                                                                                  |
| Average current consumption:   | 45 mA                                                                                                                                                                                                                           |
| Operation temp:                | -25 °C ... 60 °C                                                                                                                                                                                                                |
| Permissible relative humidity: | 10 ... 95 % (non-condensing)                                                                                                                                                                                                    |
| "Index of Protection":         | IP67                                                                                                                                                                                                                            |
| Weight:                        | 0.11 kg                                                                                                                                                                                                                         |
| Dimensions:                    | 100 x 40 x 25 mm                                                                                                                                                                                                                |

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>  
POL; 60-713 Poznań; Graniczna 10  
e-mail: [delta-opti@delta.poznan.pl](mailto:delta-opti@delta.poznan.pl); tel: +(48) 61 864 69 60

|                       |         |
|-----------------------|---------|
| Manufacturer / Brand: | ROGER   |
| Guarantee:            | 3 years |

## PRESENTATION

Front panel:



Rear view:






In the kit:



Dimensions:



## PACKAGE

|                                  |                    |
|----------------------------------|--------------------|
| Dimensions (L x W x H): 0x0x0 mm | Gross Weight: 0 kg |
|----------------------------------|--------------------|