

Code: OFS-04

## FIBER OPTIC STRIPPER **OFS-04**

Net: **87.26 USD** Gross: **87.26 USD**



### SPECIFICATION

Material:	Metal / PET
Application:	<ul style="list-style-type: none"><li>• stripping 250µm diameter acrylate coating to 125µm diameter,</li><li>• stripping 900µm diameter buffer insulation to 250µm diameter,</li><li>• cutting the outer jacket of the patchcord cables with diameters of 2 or 3 mm</li></ul>
Main features:	<ul style="list-style-type: none"><li>• Scissors are designed to cut the excess of Kevlar or aramid fiber</li><li>• Mini pliers for removing the coating</li><li>• Cotton rollers for cleaning the fibers</li><li>• High durability tool, made from high quality materials</li></ul>
Weight:	0.2 kg
Dimensions:	163 x 80 x 39 mm
Guarantee:	2 years

### PRESENTATION

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>  
POL; 60-713 Poznań; Graniczna 10  
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60






See how to use the tool correctly:

:

In the kit:



## PACKAGE

Dimensions (L x W x H): 0x0x0 mm	Gross Weight: 0 kg
----------------------------------	--------------------



DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>  
POL; 60-713 Poznań; Graniczna 10  
e-mail: [delta-opti@delta.poznan.pl](mailto:delta-opti@delta.poznan.pl); tel: +(48) 61 864 69 60