


Code: FC-XK6S/A

OPTICAL FIBER CLEAVER **FC-XK6S/A**

Net: 1 266.67 SEK Gross: 1 266.67 SEK

The FC-XK6S/A Fiber Cleaver allows you to quickly, conveniently and with high precision prepare fibers for the fusion splicing process or joining process using mechanical splice. High mechanical strength of the blade (36000 cuts) ensures long-term failure-free operation. The device comes with a practical case that protects the cutter against mechanical damage.

The cleaver allows you to prepare both SM and MM fibers for splicing.



SPECIFICATION


Fiber diameter:	125 µm
Buffer diameter:	250 ... 900 µm, 3 mm
Fiber cut length:	10 ... 16 mm
Cutting angle:	< 0.5 °
Main features:	<ul style="list-style-type: none">• High durability tool, made from high quality materials• Rotating, replaceable blade with 12 cutting edges• Blade life: 36 000 cuts• The set includes a disposal unit
Weight:	0.30 kg
Dimensions:	94 x 79 x 61 mm
Guarantee:	2 years

PRESENTATION

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60



In the kit:



Device is secured by handy case:



PACKAGE

Dimensions (L x W x H): 0x0x0 mm	Gross Weight: 0 kg
----------------------------------	--------------------

