

Code: HDMI-EX-120/RX

EXTENDER RECEIVER **HDMI-EX-120/RX**

Net: **55.85 EUR** Gross: **55.85 EUR**

Device allows to send High Definition signal to the TV-Set receiver equipped with HDMI connector via UTP Cat. 5e, 6 cable.

HDMI-EX-120/RX is perfect solution to connect the TV-SAT receiver, DVD player, computer or game-console to the TV-set/monitor for a long distance. To TV set you need connect only one UTP cable, what makes installation easy and improve aesthetic quality of installation.



SPECIFICATION

Supported HDMI resolutions:	480i, 576i, 480p, 576p, 720p, 1080p
Maximal transmission range:	<ul style="list-style-type: none">• 100 m UTP cat. 5e• 120 m UTP cat. 6
Max. number of receivers working in the same time:	237
Supported HDMI standard:	1.3
Power supply:	5 V DC / 1 A (power adapter included)
Operation temp:	0 °C ... 50 °C
Permissible relative humidity:	10 % ... 90 % (non-condensing)
Weight:	0.13 kg
Dimensions:	110 x 58 x 26 mm
Guarantee:	2 years


PRESENTATION

Receiver connectors:


DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60



Examples of connection diagrams:




- 1) Device with HDMI output
- 2) HDMI cable
- 3) HDMI-EX-120 TX
- 4) UTP Cat.5e/6
- 5) HDMI-EX-120 RX
- 6) Monitor with HDMI input



- 1) Device with HDMI output
- 2) HDMI cable
- 3) HDMI-EX-120 TX
- 4) UTP Cat.5e/6

- 5) Hub / Switch
- 6) HDMI-EX-120 RX
- 7) Monitor with HDMI input



- 1) Device with HDMI output
 - 2) HDMI cable
 - 3) HDMI-EX-120 TX
 - 4) UTP Cat.5e/6
 - 5) Hub / Switch
 - 6) HDMI-EX-120 RX
 - 7) Monitor with HDMI input
- In the kit:



PACKAGE

Dimensions (L x W x H): 0x0x0 mm	Gross Weight: 0 kg
----------------------------------	--------------------