

Code: CV1-36/2

VANDALPROOF CAMERA CV1-36/2 700 TVL 3.6 mm

Net: 153.66 PLN Gross: 153.66 PLN

Vandal-proof camera equipped with high resolution Sharp CCD sensor.

Very high resolution of the camera sensor ensures more detailed image than standard CCTV camera. The high resolution sensor guarantees high detailed image, so this camera is perfect solution for surveillance systems requiring persons or vehicles recognition, for example at places like: buildings entrance, lobbies, gates, lounges, etc. OSD menu allows to set many useful functions and parameters.

Housing construction allows to mount the camera to the ceiling and the wall (image is right oriented in both cases). Camera module is mounted inside the dome housing, which allows to rotate the camera on any axis.

The range of IR illumination according to the manufacturer data, depends on outer conditions (visibility - air transparency, environment, wall colors ie. scene reflectance).



SPECIFICATION

Sensor:	1/3 " Sharp CCD
Resolution:	700 TVL
Lens:	3.6 mm
View angle:	67 ° (manufacturer data) 72 ° (our tests result)
Range of IR illumination:	20 m
Video output:	1 Vpp 75 Ω
Power supply:	12 V / 300 mA
Main features:	<ul style="list-style-type: none">• BLC/HLC - Back Light / High Light Compensation• WDR - Wide Dynamic Range• DNR - Digital Noise Reduction• Privacy zones - max. 8• Motion Detection - max. 4 zones• Day/Night mode - configurable• Auto White Balance• Mirror - Mirror image• Sharpness - sharper image outlines
OSD menu:	✓
Housing:	Metal
Color:	Dark graphite
Vandal-proof:	✓
"Index of Protection":	IP66
Operation temp:	-10 °C ... 50 °C, RH95% max
Weight:	0.28 kg
Dimensions:	Ø 94 x 64 mm
Guarantee:	2 years

PRESENTATION

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60

Camera is out from clamping ring:



Mounting side view:



OUR TESTS

Camera image at artificial illumination (about 30Lux):



Camera image at night conditions with internal built-in IR illuminator on:



Camera image at direct strong light opposite to camera:



PACKAGE

Dimensions (L x W x H): 0x0x0 mm	Gross Weight: 0 kg
----------------------------------	--------------------