

Code: VMT-193

## MONITOR 1xVIDEO, VGA, HDMI, AUDIO **VMT-193** 19.5 " VILUX

Net: **166.45 EUR** Gross: **166.45 EUR**

CCTV monitor in plastic housing.

Monitor is perfect solution to work with PC, where there is a need to view the image from DVR in the same time. This model is equipped with all kinds of inputs, what allows to display an image from any kind of signals using in CCTV systems.

Interesting solution is placing the speakers of the back side of housing. It does not bother listening to the AUDIO from the recorder at the same time does not reduce the area of the monitor front panel.

The device is designed to continuous work in closed spaces.



### SPECIFICATION

|                            |                                                                                                                                                                      |
|----------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Screen size:               | 19.5 "                                                                                                                                                               |
| Native resolution:         | 1920 x 1080 px                                                                                                                                                       |
| Aspect ratios:             | 16 : 9                                                                                                                                                               |
| Matrix type:               | TFT-LCD color matrix                                                                                                                                                 |
| Matrix backlight:          | In LED technology                                                                                                                                                    |
| Supported standards:       | PAL/NTSC                                                                                                                                                             |
| Contrast:                  | 500 : 1                                                                                                                                                              |
| Brightness:                | 250 cd/m <sup>2</sup>                                                                                                                                                |
| Viewable angles:           | 160 ° horizontal<br>150 ° vertical                                                                                                                                   |
| Response time:             | 5 ms                                                                                                                                                                 |
| Speakers built-in:         | 2 x 2.5 W                                                                                                                                                            |
| Signal connectors:         | <ul style="list-style-type: none"><li>• Composite Video (BNC) sockets: 1x in, 1x out</li><li>• 1x VGA</li><li>• 1x HDMI</li><li>• Audio: 1x Jack (for VGA)</li></ul> |
| Housing type:              | Plastic                                                                                                                                                              |
| Monitor mounting standard: | VESA 75                                                                                                                                                              |
| Power supply:              | 12 V DC / 3 A (power adapter included)                                                                                                                               |

|                                  |                                                                                                                                     |
|----------------------------------|-------------------------------------------------------------------------------------------------------------------------------------|
| Power consumption:               | <ul style="list-style-type: none"> <li>• max. 25 W (operation)</li> <li>• &lt; 1 W (Standby mode)</li> </ul>                        |
| MTBF (Mean Time Between Faults): | 50000 h                                                                                                                             |
| Monitor control:                 | OSD - by monitor control keys                                                                                                       |
| Main features:                   | <ul style="list-style-type: none"> <li>• 3D Comb Filter</li> <li>• 3D Noise Reduction</li> <li>• Auto Picture Adjustment</li> </ul> |
| Operation temp:                  | -10 °C ... 50 °C                                                                                                                    |
| Weight:                          | 2.42 kg (with stand)                                                                                                                |
| Dimensions:                      | <ul style="list-style-type: none"> <li>• 475 x 357 x 150 mm (with stand)</li> <li>• 475 x 298 x 35 mm (without stand)</li> </ul>    |
| Supported languages:             | English, Chinese, French, Spanish, German, Polish, Portuguese, Russian, Italian                                                     |
| Manufacturer / Brand:            | VILUX                                                                                                                               |
| Guarantee:                       | 2 years                                                                                                                             |

## PRESENTATION



OSD menu control keys:



Side view:





Rear view:



Monitor connectors:



In the kit:



#### PACKAGE

|                                  |                    |
|----------------------------------|--------------------|
| Dimensions (L x W x H): 0x0x0 mm | Gross Weight: 0 kg |
|----------------------------------|--------------------|